**Real Numbers** 

# What You'll Learn

chapte,

- **Lesson 2-1** Classify and graph rational numbers.
- **Lessons 2-2 through 2-4** Add, subtract, multiply, and divide rational numbers.
- **Lesson 2-5** Display and interpret statistical data on line graphs and stem-and-leaf plots.
- **Lesson 2-6** Determine simple probability and odds.
- **Lesson 2-7** Find square roots and compare real numbers.

# Why It's Important

# Key Vocabulary

- rational number (p. 68)
- absolute value (p. 69)
- probability (p. 96)
- square root (p.103)
- real number (p. 104)

The ability to work with real numbers lays the foundation for further study in mathematics and allows you to solve a variety of real-world problems. For example, temperatures in the United States vary greatly from cold arctic regions to warm tropical regions. You can use real numbers and absolute value to compare these temperature extremes. You will use absolute value and real numbers to compare temperatures in Lessons 2-1 and 2-2.



# **Getting Started**

**Prerequisite Skills** To be successful in this chapter, you'll need to master these skills and be able to apply them in problem-solving situations. Review these skills before beginning Chapter 2.

For Lessons 2-1 through 2-5		<b>Operations wit</b>	h Decimals and Fractions
Perform the indicated operation. (For review, see pages 798 and 799.)			
<b>1.</b> 2.2 + 0.16	<b>2.</b> 13.4 - 4.5	<b>3.</b> 6.4 · 8.8	<b>4.</b> 76.5 ÷ 4.25
<b>5.</b> $\frac{1}{4} + \frac{2}{3}$	<b>6.</b> $\frac{1}{2} - \frac{1}{3}$	<b>7.</b> $\frac{5}{4} \cdot \frac{3}{10}$	<b>8.</b> $\frac{4}{9} \div \frac{1}{3}$
For Lessons 2-1 thro	ugh 2-5		Evaluate Expressions
Evaluate each expression	on if $a = 2, b = \frac{1}{4}, x$	x = 7, and $y = 0.3$ . (F	or review, see Lesson 1-2.)
<b>9.</b> 3 <i>a</i> - 2	<b>10.</b> $2x + 5$	<b>11.</b> 8( <i>y</i> + 2.4)	<b>12.</b> $4(b+2)$
<b>13.</b> $a - \frac{1}{2}$	<b>14.</b> <i>b</i> + 3	<b>15.</b> <i>xy</i>	<b>16.</b> $y(a \div b)$
For Lesson 2-5		Find	Mean, Median, and Mode
Find the mean, mediar	n, and mode for eacl	h set of data. (For rev	view, see pages 818 and 819.)
<b>17.</b> 2, 4, 7, 9, 12, 15	<b>18.</b> 23, 23, 23	3, 12, 12, 14 <b>19.</b>	7, 19, 2, 7, 4, 9
For Lesson 2-7Simplify. (For review, see20. 112	e Lesson 1-1.) <b>21.</b> 0.9 <sup>2</sup>	<b>22.</b> $\left(\frac{2}{3}\right)^2$	Square Numbers 23. $\left(\frac{4}{5}\right)^2$
FOLDABLES Study Organizer Step 1 Fold	Real Numbers Make sheet of grid paper.		organize your notes. Begin with a
Fold the short sides to meet in the middle.		Fold the top to the bottom.	
Step 3 Cut Open. Cut along the		Step 4 Lat	Rational Rational

**Reading and Writing** As you read and study the chapter, use the number line to help you solve problems. Write examples and notes under each tab.

# 2-1

# Rational Numbers on the Number Line

# What You'll Learn

- Graph rational numbers on a number line.
- Find absolute values of rational numbers.

# How can you use a number line to show data?


The table shows the percent of change in river depths for various rivers in Texas over a 24-hour period. You can use a number line to graph these values and compare the changes in each river.

**	River	er Report 24-Hour Change
<b>~</b>	San Jacinto	(ft)
	Sabine Neches	+0.3
20		
	Navasota Little	
	Little Brazos	+0.1
	Brazos	·····. 0.0
1111mm	Brazos Colorado	······+0.2
	Colorado Guadalupe	

# Vocabulary

- natural number
- whole number
- integers
- positive number
- negative number
- rational number
- infinity
- graph
- coordinate
- absolute value

**GRAPH RATIONAL NUMBERS** A number line can be used to show the sets of **natural numbers**, **whole numbers**, and **integers**. Values greater than 0, or **positive numbers**, are listed to the right of 0, and values less than 0, or **negative numbers**, are listed to the left of 0.



Another set of numbers you can display on a number line is the set of rational numbers. A **rational number** is any number that can be written in the form  $\frac{a}{b}$ , where *a* and *b* are integers and  $b \neq 0$ . Some examples of rational numbers are shown below.

$$\frac{1}{2} \quad \frac{-2}{3} \quad \frac{17}{5} \quad \frac{15}{-3} \quad \frac{-14}{-11} \quad \frac{4}{3}$$

A rational number can also be expressed as a decimal that terminates, or as a decimal that repeats indefinitely.

$$0.5 \quad -0.\overline{3} \quad 3.4 \quad 2.6767... \quad -5 \quad 1.\overline{27} \quad -1.23568994141$$

Concept Summary		Rational Numbers
Natural Numbers Whole Numbers	{1, 2, 3,} {0, 1, 2, 3,}	Rational Numbers
Integers Rational Numbers	{, $-2$ , $-1$ , 0, 1, 2,} numbers that can be expressed in the form $\frac{a}{b}$ , where a and b are integers and $b \neq 0$	Whole Numbers Natural Numbers

Later in this chapter, you will be introduced to numbers that are not rational.

# Study Tip

# Truncate

Some calculators have an option to truncate, or cut off, a number at a certain point. For example,  $1.\overline{27}$  truncated to the tenths place is 1.2.



To **graph** a set of numbers means to draw, or plot, the points named by those numbers on a number line. The number that corresponds to a point on a number line is called the **coordinate** of that point.

# Example 1 Identify Coordinates on a Number Line

Name the coordinates of the points graphed on each number line.

a. 
$$-5 -4 -3 -2 -1 0 1 2 3 4 5$$


The dots indicate each point on the graph. The coordinates are  $\{-4, -3, -2, 1, 2\}$ .

b. 
$$-1-0.5$$
 0 0.5 1 1.5 2 2.5 3


The bold arrow on the right means that the graph continues indefinitely in that direction. The coordinates are  $\{1, 1.5, 2, 2.5, 3, ...\}$ .

# Example 2 Graph Numbers on a Number Line

Graph each set of numbers.



**ABSOLUTE VALUE** On a number line, 4 is four units from zero in the positive direction, and -4 is four units from zero in the negative direction. This number line illustrates the meaning of **absolute value**.



Lesson 2-1 Rational Numbers on the Number Line 69

Key Conc	ept Absolute Value
Words	The absolute value of any number $n$ is its distance from zero on a number line and is written as $ n $ .
• Examples	-4  = 4 $ 4  = 4$

Since distance cannot be less than zero, absolute values are always greater than or equal to zero.

# Study TipExample 3Absolute Value of Rational NumbersReading Math<br/>|-7| = 7 is read<br/>the absolute value of<br/>negative 7 equals 7.Find each absolute value.a. |-7|<br/>-7 is seven units from zero in the negative direction.<br/>|-7| = 7

CONTENTS

www.algebra1.com/extra\_examples

# Study Tip

# Number Line

Although only a portion of the number line is shown, the arrowheads indicate that the line and the set continue to **infinity**, which means that they never end. **b.**  $\left|\frac{7}{9}\right|$  $\frac{7}{9}$  is seven-ninths unit from zero in the positive direction.  $\left|\frac{7}{9}\right| = \frac{7}{9}$ 

You can also evaluate expressions involving absolute value. The absolute value bars serve as grouping symbols.

 Example
 4
 Expressions with Absolute Value

 Evaluate 15 - |x + 4| if x = 8.

 15 - |x + 4| = 15 - |8 + 4| Replace x with 8.

 = 15 - |12| 

 8 + 4 = 12 

 = 15 - 12 

 |12| = 12 

 = 3 

# **Check for Understanding**


Concept Check

- **1. Tell** whether the statement is *sometimes*, *always*, or *never* true. *An integer is a rational number.* 
  - 2. Explain the meaning of absolute value.
  - **3. OPEN ENDED** Give an example where absolute values are used in a real-life situation.

**Guided Practice** Name the coordinates of the points graphed on each number line.

**11.** |18|

## Graph each set of numbers.




### Find each absolute value.

10. |-2|

**12.** |2.5| **13.**  $\left|-\frac{5}{6}\right|$ 

Evaluate each expression if x = 18, y = 4, and z = -0.76. 14. 57 - |x + 34| 15. 19 + |21 - y| 16. |z| - 0.26

# Application17. NUMBER THEORYCopy the Venn diagram at<br/>the right. Label the remaining sets of numbers.Then place the numbers -3, -13, 0, 53, $\frac{2}{3}$ , $-\frac{1}{5}$ ,<br/>0.33, 40, 2.98, -49.98, and $-\frac{5}{2}$ in the most<br/>specific categories.





# **Practice and Apply**

Homework Help		
For Exercises	See Examples	
18–23	1	
24–33	2	
34-41	3	
42-44,	2, 3	
58, 59		
45-56	4	
Extra Practice See page 823.		

Name the coordinates of the points graphed on each number line.

### **19.** -8 -7 -6 -5 -4 -3 -2 -1 018. ◄ -4 -3 -2 -1 0 1 2 20. $-2 -1 \ 0 \ 1 \ 2 \ 3 \ 4 \ 5 \ 6$ **21.** 0 0.2 0.4 0.6 0.8 1.0 1.2 1.4 1.6 22. $-2 - \frac{5}{3} - \frac{4}{3} - 1 - \frac{2}{3} - \frac{1}{3} = 0 + \frac{1}{3} + \frac{2}{3} + \frac{2}{3} = 1$ 23. $-\frac{1}{5} - \frac{2}{5} + \frac{3}{5} + \frac{4}{5} + \frac{1}{5} + \frac{6}{5} + \frac{1}{5} + \frac{1}{5}$ 8 9

### Graph each set of numbers.

<b>24.</b> {-4, -2, -1, 1, 3}	<b>25.</b> {0, 2, 5, 6, 9}
<b>26.</b> {-5, -4, -3, -2,}	<b>27.</b> {, -2, 0, 2, 4, 6}
<b>28.</b> {-8.4, -7.2, -6.0, -4.8}	<b>29.</b> {-2.4, -1.6, -0.8, 0,}
<b>30.</b> $\left\{ \dots, -\frac{2}{3}, -\frac{1}{3}, 0, \frac{1}{3}, \frac{2}{3}, \dots \right\}$	<b>31.</b> $\left\{-3\frac{2}{5}, -2\frac{1}{5}, -1\frac{4}{5}, -\frac{4}{5}, 1\right\}$
<b>32.</b> {integers less than $-7$ or greater than	-1}

**33.** {integers greater than -5 and less than 9}

## Find each absolute value.

<b>34.</b>  -38	<b>35.</b>  10	<b>36.</b>  97	<b>37.</b>  -61
<b>38.</b>  3.9	<b>39.</b>  -6.8	<b>40.</b> $\left -\frac{23}{56}\right $	<b>41.</b> $\left \frac{35}{80}\right $

**Demographer** •·····• **POPULATION** For Exercises 42–44, refer to the table below.

Population of Various Counties, 1990–1999			
County Percent Change Coun		County	Percent Change
Kings, NY	-1.4	Wayne, MI	-0.2
Los Angeles, CA	5.3	Philadelphia, PA	-10.6
Cuyahoga, OH	-2.9	Suffolk, NY	4.7
Santa Clara, CA	10.0	Alameda, CA	8.5
Cook, IL	1.7	New York, NY	4.3

Source: The World Almanac

**42.** Use a number line to order the percents of change from least to greatest.

**43.** Which population had the greatest percent increase or decrease? Explain.

44. Which population had the least percent increase or decrease? Explain.

Evaluate each expression if a = 6,  $b = \frac{2}{3}$ ,  $c = \frac{5}{4}$ , x = 12, y = 3.2, and z = -5. **45.** 48 + |x - 5| **46.** 25 + |17 + x| **47.** |17 - a| + 2348. |43 - 4a| + 5149. |z| + 13 - 450. 28 - 13 + |z|51. 6.5 - |8.4 - y|52. 7.4 + |y - 2.6|53.  $\frac{1}{6} + |b - \frac{7}{12}|$ 54.  $(b + \frac{1}{2}) - |-\frac{5}{6}|$ 55.  $|c - 1| + \frac{2}{5}$ 56.  $|-c| + (2 + \frac{1}{2})$ 

**57. CRITICAL THINKING** Find all values for *x* if |x| = -|x|.

CONTENTS

Career Choices


A demographer analyzes the size, nature, and movement of human populations. Many demographers specialize in one area such as health, housing, or education.

🖉 Online Research

For information about a career as a demographer, visit www.algebra1.com/ careers

# **WEATHER** For Exercises 58 and 59, use the table at the right.

- **58.** Draw a number line and graph the set of numbers that represents the low temperatures for these cities.
- **59.** Write the absolute value of the low temperature for each city.
- **60. WRITING IN MATH** Answer the question that was posed at the beginning of the lesson.



How can you use a number line to show data?

Include the following in your answer:

- an explanation of how to choose the range for a number line, and
- an explanation of how to tell which river had the greatest increase or decrease.




- **61.** Which number is a natural number? (A) -2.5 (B) 5 - |5| (C) -|3 + 5| (D) |-8| - 2
- 62. Which sentence is *not* true?
  - All natural numbers are whole numbers.
  - **B** Natural numbers are positive numbers.
  - C Every whole number is a natural number.
  - **D** Zero is neither positive nor negative.

# **Maintain Your Skills**

# Mixed Review SALES For Exercises 63–65, refer to the graph. (Lesson 1-9)


- **63.** In which month did Mr. Michaels have the greatest sales?
- **64.** Between which two consecutive months did the greatest change in sales occur?
- **65.** In which months were sales equal?



**66. ENTERTAINMENT** Juanita has the volume on her stereo turned up. When her telephone rings, she turns the volume down. After she gets off the phone, she returns the volume to its previous level. Sketch a reasonable graph to show the volume of Juanita's stereo during this time. (*Lesson 1-8*)

Simplify each expression. (Lesson 1-6) 67. 8x + 2y + x 68. 7(5a + 3b) - 4a 69. 4[1 + 4(5x + 2y)]

# Getting Ready for<br/>the Next LessonPREREQUISITE SKILL<br/>Find each sum or difference.<br/>(To review addition and subtraction of fractions, see pages 798 and 799.)70. $\frac{3}{8} + \frac{1}{8}$ 71. $\frac{7}{12} - \frac{3}{12}$ 72. $\frac{7}{10} + \frac{1}{5}$ 73. $\frac{3}{8} + \frac{2}{3}$



# Adding and Subtracting Rational Numbers

# What You'll Learn


- Add integers and rational numbers.
- Subtract integers and rational numbers.
- Vocabulary

2-2

- opposites
- additive inverses


# *How* can a number line be used to show a football team's progress?

In one series of plays during Super Bowl XXXV, the New York Giants received a five-yard penalty before completing a 13-yard pass.




The number line shows the yards gained during this series of plays. The total yards gained was 8 yards.

**ADD RATIONAL NUMBERS** The number line above illustrates how to add integers on a number line. You can use a number line to add any rational numbers.



You can use absolute value to add rational numbers.



The examples above suggest the following rules for adding rational numbers.

Key Concept	Addition of Rational Numbers
<ul> <li>To add rational n has the same sign</li> </ul>	umbers with the <i>same sign</i> , add their absolute values. The sum n as the addends.
	umbers with <i>different signs</i> , subtract the lesser absolute value absolute value. The sum has the same sign as the number with


# Example 2 Add Rational Numbers

the greater absolute value.

Find each sum.

a. 
$$-11 + (-7)$$
  
 $-11 + (-7) = -(|-11| + |-7|)$  Both numbers are negative,  
 $= -(11 + 7)$   
 $= -18$   
b.  $\frac{7}{16} + \left(-\frac{3}{8}\right)$   
 $\frac{7}{16} + \left(-\frac{3}{8}\right) = \frac{7}{16} + \left(-\frac{6}{16}\right)$  The LCD is 16. Replace  $-\frac{3}{8}$  with  $-\frac{6}{16}$ .  
 $= + \left(\left|\frac{7}{16}\right| - \left|-\frac{6}{16}\right|\right)$  Subtract the absolute values.  
 $= + \left(\frac{7}{16} - \frac{6}{16}\right)$  Since the number with the greater  
 $= \frac{1}{16}$ 

**SUBTRACT RATIONAL NUMBERS** Every positive rational number can be paired with a negative rational number. These pairs are called **opposites**.




A number and its opposite are **additive inverses** of each other. When you add two opposites, the sum is always 0.




Additive Inverse Since 0 + 0 = 0, zero is its own additive inverse.






Additive inverses can be used when you subtract rational numbers.



This example suggests that subtracting a number is equivalent to adding its inverse.

Key Conc	Subtraction of Rational Numbers	
• Words	To subtract a rational number, add its additive inverse.	
• Symbols	For any numbers $a$ and $b$ , $a - b = a + (-b)$ .	
• Examples	8 - 15 = 8 + (-15) or -7 -7.6 - 12.3 = -7.6 + (-12.3) or -19.9	



### Stockbroker •······

Stockbrokers perform various duties, including buying or selling stocks, bonds, mutual funds, or other financial products for an investor.

# 모 Online Research

For information about a career as a stockbroker, visit: www.algebra1.com/ careers

# Example 3 Subtract Rational Numbers to Solve a Problem

**STOCKS** During a five-day period, a telecommunications company's stock price went from \$17.82 to \$15.36 per share. Find the change in the price of the stock.

Explore The stock price began at \$17.82 and ended at \$15.36. You need to determine the change in price for the week.

#### Plan Subtract to find the change in price.

CONTENTS

	ending price minus beginning price 15.36 – 17.82	
Solve	15.36 - 17.82 = 15.36 + (-17.82)	To subtract 17.82, add its inverse.
	= -( -17.82  -  15.36 )	Subtract the absolute values.
	= -(17.82 - 15.36)	The absolute value of $-17.82$ is
	= -2.46	greater, so the result is negative.
	The price of the stock changed by $-$ \$2.46	á

The price of the stock changed by -\$2.46.

**Examine** The problem asks for the change in a stock's price from the beginning of a week to the end. Since the change was negative, the price dropped. This makes sense since the ending price is less than the beginning price.

www.algebra1.com/extra examples

# **Check for Understanding**

# **Concept Check 1. OPEN ENDED** Write a subtraction expression using rational numbers that has a difference of $-\frac{2}{5}$ .

- 2. Describe how to subtract real numbers.
- 3. FIND THE ERROR Gabriella and Nick are subtracting fractions.

Gabriella	Nick
$\left(-\frac{4}{9}\right) - \left(-\frac{2}{3}\right) = \left(-\frac{4}{9}\right) - \left(-\frac{6}{9}\right)$	$\left(-\frac{4}{9}\right) - \left(-\frac{2}{3}\right) = \left(-\frac{4}{9}\right) - \left(-\frac{6}{9}\right)$
$= \left(-\frac{4}{9}\right) + \left(\frac{6}{9}\right)$	$= \left(-\frac{4}{9}\right) + \left(-\frac{6}{9}\right)$
$=\left(\frac{6}{9}-\frac{4}{9}\right)$	$= -\left(\frac{6}{9} + \frac{4}{9}\right)$
$=\frac{2}{9}$	$=-\frac{10}{9}$

60 40

Record Low -80°

Who is correct? Explain your reasoning.

Guided Practice Find each sum. 5. -24 + (-45)4. -15 + (-12)6. 38.7 + (-52.6)8.  $\frac{4}{7} + \left(-\frac{1}{2}\right)$ 9.  $-\frac{5}{12} + \frac{8}{15}$ **7.** -4.62 + (-12.81) Find each difference. **11.** 12.7 - (-18.4) **14.**  $-\frac{2}{9} - \frac{3}{10}$ **10.** 18 – 23 **12.** (-3.86) - 1.75 **15.**  $\left(-\frac{7}{10}\right) - \left(-\frac{11}{12}\right)$ **13.** -32.25 - (-42.5)Application **16. WEATHER** The highest recorded Record High 134° temperature in the United States was in Death Valley, California, 20 while the lowest temperature

> was recorded at Prospect Creek, Alaska. What is the difference between these two temperatures?

# **Practice and Apply**


Hor Exer 17-39-Ext Se

mewo	rk Help	Find each sum.		
For :	See	<b>17.</b> $-8 + 13$	<b>18.</b> -11 + 19	<b>19.</b> 41 + (-63)
For ercises	Examples	<b>20.</b> 80 + (-102)	<b>21.</b> -77 + (-46)	<b>22.</b> $-92 + (-64)$
7–38 9–62	1, 2 3	<b>23.</b> -1.6 + (-3.8)	<b>24.</b> -32.4 + (-4.5)	<b>25.</b> -38.9 + 24.2
xtra P	ractice	<b>26.</b> -7.007 + 4.8	<b>27.</b> 43.2 + (-57.9)	<b>28.</b> 38.7 + (-61.1)
	je 823.	<b>29.</b> $\frac{6}{7} + \frac{2}{3}$	<b>30.</b> $\frac{3}{18} + \frac{6}{17}$	<b>31.</b> $-\frac{4}{11} + \frac{3}{5}$
		<b>32.</b> $-\frac{2}{5} + \frac{17}{20}$	<b>33.</b> $-\frac{4}{15} + \left(-\frac{9}{16}\right)$	<b>34.</b> $-\frac{16}{40} + \left(-\frac{13}{20}\right)$
		<b>35.</b> Find the sum of $4\frac{1}{8}$	and $-1\frac{1}{2}$ . <b>36.</b> Find t	he sum of $1\frac{17}{50}$ and $-3\frac{17}{25}$ .



- **37. GAMES** Sarah was playing a computer trivia game. Her scores for round one were +100, +200, +500, -300, +400, and -500. What was her total score at the end of round one?
- **38. FOOTBALL** The Northland Vikings' offense began a drive from their 20-yard line. They gained 6 yards on the first down, lost 8 yards on the second down, then gained 3 yards on third down. What yard line were they on at fourth down?

# Find each difference.



# **••• GOLF** For Exercises 57–59, use the following information.

In golf, scores are based on *par*. Par 72 means that a golfer should hit the ball 72 times to complete 18 holes of golf. A score of 67, or 5 under par, is written as -5. A score of 3 over par is written as +3. At the Masters Tournament (par 72) in April, 2001, Tiger Woods shot 70, 66, 68, and 68 during four rounds of golf.

57. Use integers to write his score for each round as over or under par.

58. Add the integers to find his overall score.

59. Was his score under or over par? Would you want to have his score? Explain.

**Online** Research Data Update Find the most recent winner of the Masters Tournament. What integer represents the winner's score for each round as over or under par? What integer represents the winner's overall score? Visit www.algebra1.com/data\_update to learn more.

**STOCKS** For Exercises 60–62, refer to the table that shows the weekly closing values of the stock market for an eight-week period.


	Week	(ly Dow Jones (April – N		verage	
	End of Week	Closing Value	End of Week	Closing Value	
	1	9791.09	5	10,951.24	
	2	10,126.94	6	10,821.31	
	3	10,579.85	7	11,301.74	When with
•	4	10,810.05	8	11,257.24	
	ource: The Wall	Street lournal			_

Source: The Wall Street Journal

**60.** Find the change in value from week 1 to week 8.

CONTENTS

- 61. Which week had the greatest change from the previous week?
- 62. Which week had the least change from the previous week?
- **63.** CRITICAL THINKING Tell whether the equation x + |x| = 0 is *always*, *sometimes*, or *never* true. Explain.



Golf • In the United States, there are more than 16,000 golf courses played by 26 million people each year. Source: Encarta Online **64.** WRITING IN MATH Answer the question that was posed at the beginning of the lesson.

### How can a number line be used to show a football team's progress?

Include the following in your answer:

- an explanation of how you could use a number line to determine the yards gained or lost by the Giants on their next three plays, and
- a description of how to determine the total yards gained or lost without using a number line.



65.	What is the value of <i>n</i> in $-57 - n = -144$ ?			
	▲ -201	<b>B</b> −87	<b>C</b> 87	<b>D</b> 201
66.	Which expression is	s equivalent to $5 - (-$	-8)?	
	(A) $(-5) + 8$	<b>B</b> 8 + 5	<b>C</b> 8 – 5	<b>D</b> $5-8$


# **Maintain Your Skills**

Mixed ReviewEvaluate each expression if x = 4.8, y = -7.4, and z = 10. (Lesson 2-1)67. 12.2 + |8 - x|68. |y| + 9.4 - 369. 24.2 - |18.3 - z|

# For Exercises 70 and 71, refer to the graph. (Lesson 1-9)

- **70.** If you wanted to make a circle graph of the data, what additional category would you have to include so that the circle graph would not be misleading?
- **71.** Construct a circle graph that displays the data accurately.

Find the solution sets for each inequality if the replacement sets are  $a = \{2, 3, 4, 5, 6\}$ ,  $b = \{0.3, 0.4, 0.5, 0.6, 0.7\}$ , and  $c = \{\frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1\frac{1}{4}\}$ . (Lesson 1-3) 72.  $b + 1.3 \ge 1.8$ 73. 3a - 5 > 774.  $c + \frac{1}{2} < 2\frac{1}{4}$ 



8

### Write an algebraic expression for each verbal phrase. (Lesson 1-1)

**75.** eight less than the square of *q* 

**76.** 37 less than 2 times a number *k* 

Getting Ready for the Next Lesson	<b>PREREQUISITE SKILL</b> Find each product. (To review multiplication of fractions, see pages 800 and 801.)		
	<b>77.</b> $\frac{1}{2} \cdot \frac{2}{3}$	<b>78.</b> $\frac{1}{4} \cdot \frac{2}{5}$	<b>79.</b> $\frac{3}{4} \cdot \frac{5}{6}$
	<b>80.</b> $4 \cdot \frac{3}{5}$	<b>81.</b> $8 \cdot \frac{5}{8}$	<b>82.</b> $\frac{7}{9} \cdot 12$
	<b>80.</b> $4 \cdot \frac{1}{5}$	<b>81.</b> $0 \cdot \frac{1}{8}$	<b>82.</b> $\frac{1}{9} \cdot 12$




# **Multiplying Rational Numbers**

# What You'll Learn

Multiply integers.

How

Multiply rational numbers.



**CD SHOP** 

**MULTIPLY INTEGERS** One way to find the savings from the coupons is to use repeated addition.

$$-\$1.00 + (-\$1.00) + (-\$1.00) + (-\$1.00) = -\$4.00$$

An easier way to find the savings would be to multiply -\$1.00 by 4.

$$4(-\$1.00) = -\$4.00$$

Suppose the coupons were expired and had to be removed from the total. You can represent this by multiplying -\$1.00 by -4.

$$(-4)(-\$1.00) = \$4.00$$

In other words, \$4.00 would be added back to the total.

CONTENTS

These examples suggest the following rules for multiplying integers.

Key Cond		Multiplication of Int
• Words	•	having the <i>same sign</i> is positive. having <i>different signs</i> is negative.
• Examples	(-12)(-7) = 84 same signs 15(-8) = -120 different sig	and the second
Example 1	Multiply Integers	
Find each pr	Multiply Integers	
Find each pr	oduct.	tive product
Find each pr a. 4(-5)	20 different signs $\rightarrow$ negative	tive product

# Study Tip

2-3

### Multiplying Integers

When multiplying integers, if there are a even number of negat integers, the product i positive. If there are a odd number of negati integers, the product i negative.

You can simplify expressions by applying the rules of multiplication.

Example2Simplify ExpressionsSimplify the expression 4(-3y) - 15y.4(-3y) - 15y = 4(-3)y - 15y4(-3y) - 15y = 4(-3)y - 15y

**MULTIPLY RATIONAL NUMBERS** Multiplying rational numbers is similar to multiplying integers.

# Example 3 Multiply Rational Numbers

Find  $\left(-\frac{3}{4}\right)\left(\frac{3}{8}\right)$ .  $\left(-\frac{3}{4}\right)\left(\frac{3}{8}\right) = -\frac{9}{32}$  different signs  $\rightarrow$  negative product

# Example 4 Multiply Rational Numbers to Solve a Problem


**BASEBALL** Fenway Park, home of the Boston Red Sox, is the oldest ball park in professional baseball. It has a seating capacity of about 34,000. Determine the approximate total ticket sales for a sold-out game.

To find the approximate total ticket sales, multiply the number of tickets sold by the average price.

 $34,000 \cdot 24.05 = 817,770$ 

### same signs $\rightarrow$ positive product

The total ticket sales for a sold-out game are about \$817,770.



You can evaluate expressions that contain rational numbers.

CONTENTS

Example 5 Evaluate Expressions Evaluate  $n^2\left(-\frac{5}{8}\right)$  if  $n = -\frac{2}{5}$ .  $n^2\left(-\frac{5}{8}\right) = \left(-\frac{2}{5}\right)^2\left(-\frac{5}{8}\right)$  Substitution  $= \left(\frac{4}{25}\right)\left(-\frac{5}{8}\right)$   $\left(-\frac{2}{5}\right)^2 = \left(-\frac{2}{5}\right)\left(-\frac{2}{5}\right)$  or  $\frac{4}{25}$  $= -\frac{20}{200}$  or  $-\frac{1}{10}$  different signs  $\rightarrow$  negative product



- Updated data
- More activities on writing equations www.algebra1.com/ usa\_today

In Lesson 1-4, you learned about the Multiplicative Identity Property, which states that any number multiplied by 1 is equal to the number. Another important property is the Multiplicative Property of -1.

Key Cond	ept	Multiplicative Property of -1
• Words	The product of any number a	and $-1$ is its additive inverse.
• Symbols	For any number $a$ , $-1(a) = a(a)$	(-1) = -a.
• Examples	(-1)(4) = (4)(-1) = -4	(-1)(-2.3) = (-2.3)(-1) = 2.3

Check for Understanding				
Concept Check	<b>1. List</b> the condit support your a	*	t <i>ab</i> is negative. Give examples to	
	<b>2. OPEN ENDED</b> Describe a real-life situation in which you would multiply a positive rational number by a negative rational number. Write a corresponding multiplication expression.			
	<b>3. Explain</b> why the product of two negative numbers is positive.			
Guided Practice	Guided Practice Find each product.			
	<b>4.</b> (-6)(3)	<b>5.</b> (5)(-8)	<b>6.</b> (4.5)(2.3)	
	7. (-8.7)(-10.4)	8. $(\frac{5}{3})(-\frac{2}{7})$	9. $\left(-\frac{4}{9}\right)\left(\frac{7}{15}\right)$	
	Simplify each exp	ression.		
	<b>10.</b> $5s(-6t)$	11. 6	5x(-7y) + (-15xy)	
	Evaluate each expression if $m = -\frac{2}{3}$ , $n = \frac{1}{2}$ , and $p = -3\frac{3}{4}$ .			
	<b>12.</b> 6 <i>m</i>	<b>13.</b> <i>np</i>	<b>14.</b> $n^2(m+2)$	
Application	<b>15. NATURE</b> The average worker honeybee makes about $\frac{1}{12}$ teaspoon of honey in its lifetime. How much honey do 675 honeybees make?			

# **Practice and Apply**

For         See           Exercises         1, 3           16-33         1, 3           34-39         2           40, 41         4           42-49         5           50-54         4           Extra Practice See page 823.	Find each product. 16. 5(18) 1924(8) 22. $\left(\frac{4}{5}\right)\left(\frac{3}{8}\right)$ 25. $\left(-\frac{2}{5}\right)\left(\frac{6}{7}\right)$ 28. 7.2(0.2) 31. (-0.075)(6.4)	17. 8(22) 2047(-29) 23. $\left(\frac{5}{12}\right)\left(\frac{4}{9}\right)$ 26. $\left(-3\frac{1}{5}\right)\left(-7\frac{1}{2}\right)$ 29. 6.5(0.13) 32. $\frac{3}{5}(-5)(-2)$	18. $-12(15)$ 21. $-81(-48)$ 24. $\left(-\frac{3}{5}\right)\left(\frac{5}{6}\right)$ 27. $\left(-1\frac{4}{5}\right)\left(-2\frac{1}{2}\right)$ 30. $(-5.8)(2.3)$ 33. $\frac{2}{11}(-11)(-4)$
www.algebra1	Simplify each express 34. $6(-2x) - 14x$ 37. $-7(3d + d)$ .com/extra_examples	<b>35.</b> 5(-4 <i>n</i> ) - 25 <i>n</i>	<b>36.</b> $5(2x - x)$ <b>57. 39.</b> $7m(-3n) + 3s(-4t)$ <b>n 2-3</b> Multiplying Rational Numbers <b>81</b>

# **STOCK PRICES** For Exercises 40 and 41, use the table that lists the closing prices of a company's stock over a one-week period.

- **40.** What was the change in price of 35 shares of this stock from day 2 to day 3?
- **41.** If you bought 100 shares of this stock on day 1 and sold half of them on day 4, how much money did you gain or lose on those shares?

Closing Stock Price (\$)		
Day	Price	
1	64.38	
2	63.66	
3	61.66	
4	61.69	
5	62.34	

3c)

fly


hoist

union

# Evaluate each expression if a = -2.7, b = 3.9, c = 4.5, and d = -0.2.

<b>42.</b> $-5c^2$	<b>43.</b> $-2b^2$
<b>44.</b> -4 <i>ab</i>	<b>45.</b> –5 <i>cd</i>
<b>46.</b> $ad - 8$	<b>47.</b> <i>ab</i> − 3
<b>48.</b> $d^2(b-2a)$	<b>49.</b> $b^2(d -$

- **50. CIVICS** In a United States flag, the length of the union is  $\frac{2}{5}$  of the fly, and the width is  $\frac{7}{13}$  of the hoist. If the fly is 6 feet, how long is the union?
- **51. COMPUTERS** The price of a computer dropped \$34.95 each month for 7 months. If the starting price was \$1450, what was the price after 7 months?



# **ECOLOGY** For Exercises 53 and 54, use the following information.

Americans use about 2.5 million plastic bottles every hour. **Source:** www.savethewater.com

- 53. About how many plastic bottles are used in one day?
- 54. About how many bottles are used in one week?
- **55. CRITICAL THINKING** An even number of negative numbers is multiplied. What is the sign of the product? Explain your reasoning.
- **56.** WRITING IN MATH Answer the question that was posed at the beginning of the lesson.

# How do consumers use multiplication of rational numbers?

Include the following in your answer:

- an explanation of why the amount of a coupon is expressed as a negative value, and
- an explanation of how you could use multiplication to find your total discount if you bought 3 CDs for \$13.99 each and there was a discount of \$1.50 on each CD.



### Civics •·····

The Marine Corps War Memorial in Washington, D.C., is dedicated to all Marines who have defended the United States since 1775. It is the most famous memorial that is centered around the flag. **Source:** The United States National Park Service





Which expression c	an be simplified as -	-8 <i>xy</i> ?	
(A) $2y - 4x$	B $-2x(4y)$	$\bigcirc$ (-4) <sup>2</sup> <i>xy</i>	<b>D</b> $-4x(-2y)$
Find the value of <i>m</i>	if $m = -2ab$ , $a = -4$	, and $b = 6$ .	
<b>A</b> 8	<b>B</b> 48	<b>C</b> 12	<b>D</b> -48
	(A) $2y - 4x$ Find the value of <i>m</i>	(A) $2y - 4x$ (B) $-2x(4y)$ Find the value of <i>m</i> if $m = -2ab$ , $a = -4$	Which expression can be simplified as $-8xy$ ?(A) $2y - 4x$ (B) $-2x(4y)$ (C) $(-4)^2xy$ Find the value of <i>m</i> if $m = -2ab$ , $a = -4$ , and $b = 6$ .(A) 8(B) 48(C) 12


# **Maintain Your Skills**

Mixed Review Find each sum or difference. (Lesson 2-2) **59.** -6.5 + (-5.6) **60.**  $\frac{4}{5} + (-\frac{3}{4})$  **61.** 42 - (-14) **62.** -14.2 - 6.7

Graph each set of numbers on a number line. (Lesson 2-1)

**63.** {..., -3, -1, 1, 3, 5} **64.** {-2.5, -1.5, 0.5, 4.5} **65.** {-1, 
$$-\frac{1}{3}, \frac{2}{3}, 2$$
}

66. Identify the graph below that best represents the following situation. Brandon has a deflated balloon. He slowly fills the balloon up with air. Without tying the balloon, he lets it go. (Lesson 1-8)



Write a counterexample for each statement. (Lesson 1-7) **67.** If  $2x - 4 \ge 6$ , then x > 5.

68.	If	a	> 3, then <i>a</i> $>$ 3.
-----	----	---	---------------------------

Getting Ready for **PREREQUISITE SKILL** Find each quotient. (To review division of fractions, see pages 800 and 801.) the Next Lesson 69.  $\frac{5}{8} \div 2$ 70.  $\frac{2}{3} \div 4$ 71.  $5 \div \frac{3}{4}$ 72.  $1 \div \frac{2}{5}$ 73.  $\frac{1}{2} \div \frac{3}{8}$ 74.  $\frac{7}{9} \div \frac{5}{6}$ 75.  $\frac{4}{5} \div \frac{6}{5}$ 76.  $\frac{7}{8} \div \frac{2}{3}$ 

CONTENTS

# **Practice Quiz 1**

# Lessons 2-1 through 2-3

0

1. Name the set of points graphed on the number line. (Lesson 2-1)

**2.** Evaluate 32 - |x + 8| if x = 15. (Lesson 2-1)

Find each sum or difference. (Lesson 2-2)

5. -6.05 + (-2.1) 6.  $-\frac{3}{4} - (-\frac{2}{5})$ 4. 27 - (-12)**3.** -15 + 7Find each product. (Lesson 2-3) 7. -9(-12)8. (3.8)(-4.1)

**9.** Simplify (-8x)(-2y) + (-3y)(z). (Lesson 2-3)

**10.** Evaluate mn + 5 if m = 2.5 and n = -3.2. (Lesson 2-3)

# **2-4 Dividing Rational Numbers**

# What You'll Learn

- Divide integers.
- Divide rational numbers.

# *How* can you use division of rational numbers to describe data?

Each year, many sea turtles are stranded on the Texas Gulf Coast. The number of sea turtles stranded from 1997 to 2000 and the changes in number from the previous years are shown in the table. The following expression can be used to find the *mean* change per year of the number of stranded turtles.

$$mean = \frac{(-127) + 54 + (-65)}{3}$$

Stranded Sea Turtles Texas Gulf Coast			
Year Number of Turtles		Change	
1997	523		
1998	396	-127	
1999	450	+54	
2000	385	-65	


Source: www.ridleyturtles.org

**DIVIDE INTEGERS** Since multiplication and division are inverse operations, the rule for finding the sign of the quotient of two numbers is similar to the rule for finding the sign of a product of two numbers.


Key Cond	cept	Division of Integers
• Words	The quotient of tw The quotient of tw	o numbers having the <i>same sign</i> is positive. o numbers having <i>different signs</i> is negative.
• Examples	$(-60) \div (-5) = 12$ $32 \div (-8) = -4$	same signs $\rightarrow$ positive quotient different signs $\rightarrow$ negative quotient

# Example 1 Divide Integers

Find each quotient.



When simplifying fractions, recall that the fraction bar is a grouping symbol.





**DIVIDE RATIONAL NUMBERS** The rules for dividing positive and negative integers also apply to division with rational numbers. Remember that to divide by any nonzero number, multiply by the reciprocal of that number.

Example 3Divide Pational NumbersFind each quotient.a. 245.66  $\div$  (-14.2)245.66  $\div$  (-14.2) = -17.3Use a calculator.<br/>different signs  $\rightarrow$  negative quotientb.  $-\frac{2}{5} \div \frac{1}{4}$  $-\frac{2}{5} \div \frac{1}{4}$ Multiply by  $\frac{4}{1}$ , the reciprocal of  $\frac{1}{4}$ . $= -\frac{8}{5}$  or  $-1\frac{3}{5}$ different signs  $\rightarrow$  negative quotient


# Example 4 Divide Rational Numbers to Solve a Problem

• **ARCHITECTURE** The Pentagon in Washington, D.C., has an outside perimeter of 4608 feet. Find the length of each outside wall.

To find the length of each wall, divide the perimeter by the number of sides.

 $4608 \div 5 = 921.6$  same signs  $\rightarrow$  positive quotient

The length of each outside wall is 921.6 feet.



The Pentagon

You can use the Distributive Property to simplify fractional expressions.

# Example 5 Simplify Algebraic Expressions

Simplify $\frac{24-6a}{3}$ .	
$\frac{24-6a}{3} = (24-6a) \div 3$	The fraction bar indicates division.
$= (24 - 6a)\left(\frac{1}{3}\right)$	Multiply by $\frac{1}{3}$ , the reciprocal of 3.
$= 24 \left(\frac{1}{3}\right) - 6a \left(\frac{1}{3}\right)$	Distributive Property
= 8 - 2a	Simplify.

CONTENTS

Example 6 Evaluate Algebraic Expressions				
Evaluate $\frac{ab}{c^2}$ if a	= $-7.8$ , $b = 5.2$ , and $c = -3$ . Round to the nearest hundredth.			
$\frac{ab}{c^2} = \frac{(-7.8)(5.2)}{(-3)^2}$	Replace $a$ with $-7.8$ , $b$ with 5.2, and $c$ with $-3$ .			
$=\frac{-40.56}{9}$	Find the numerator and denominator separately.			
≈ -4.51	Use a calculator. different signs $\rightarrow$ negative quotient			



### Architecture •·····

The Pentagon is one of the world's largest office buildings. It contains 131 stairways, 19 escalators, 13 elevators, 284 restrooms, and 691 drinking fountains. **Source:** www.infoplease.com

www.algebra1.com/extra\_examples

Lesson 2-4 Dividing Rational Numbers 85

# **Check for Understanding**

<b>Concept Check</b> 1. Compare and contrast multiplying and dividing rational i
--

- **2. OPEN ENDED** Find a value for x if  $\frac{1}{x} > x$ .
- 3. Explain how to divide any rational number by another rational number.

# Guided Practice Find each quotient.

<b>4.</b> 96 ÷ (−6)	<b>5.</b> $-36 \div 4$	<b>6.</b> −64 ÷ 5
<b>7.</b> 64.4 ÷ 2.5	8. $-\frac{2}{3} \div 12$	<b>9.</b> $-\frac{2}{3} \div \frac{4}{5}$

### Simplify each expression.

<b>10.</b> $\frac{25+3}{-4}$ <b>11.</b> $\frac{-650a}{10}$	<b>12.</b> $\frac{6b+18}{-2}$
--	-------------------------------

Evaluate each expression if a = 3, b = -4.5, and c = 7.5. Round to the nearest hundredth.

$\frac{2ab}{-ac}$	14.	$\frac{cb}{4a}$	15.	$-\frac{a}{b}$ ÷	$\frac{a}{c}$

**Application 16. ONLINE SHOPPING** During the 2000 holiday season, the sixth most visited online shopping site recorded 419,000 visitors. This is eight times as many visitors as in 1999. About how many visitors did the site have in 1999?

# **Practice and Apply**

Homework Help			
For Exercises	See Examples		
17-36	1, 3		
37-44	5		
45, 46, 55–57	4		
47-54	6		
Extra Practice See page 824.			

Find each quotient.					
<b>17.</b> $-64 \div (-8)$	<b>18.</b> −78 ÷ (−4)	<b>19.</b> $-78 \div (-1.3)$			
<b>20.</b> 108 ÷ (−0.9)	<b>21.</b> 42.3 ÷ (-6)	<b>22.</b> 68.4 ÷ (−12)			
<b>23.</b> -23.94 ÷ 10.5	<b>24.</b> −60.97 ÷ 13.4	<b>25.</b> -32.25 ÷ (-2.5)			
<b>26.</b> -98.44 ÷ (-4.6)	<b>27.</b> $-\frac{1}{3} \div 4$	<b>28.</b> $-\frac{3}{4} \div 12$			
<b>29.</b> $-7 \div \frac{3}{5}$	<b>30.</b> $-5 \div \frac{2}{7}$	<b>31.</b> $\frac{16}{36} \div \frac{24}{60}$			
<b>32.</b> $-\frac{24}{56} \div \frac{31}{63}$	<b>33.</b> $\frac{14}{32} \div \left(-\frac{12}{25}\right)$	<b>34.</b> $\frac{80}{25} \div \left(-\frac{2}{3}\right)$			
<b>35.</b> Find the quotient of $-74$ and $-\frac{5}{3}$ .					
<b>36.</b> Find the quotient of $-156$ and $-\frac{3}{8}$ .					

### Simplify each expression.

<b>37.</b> $\frac{81c}{9}$	<b>38.</b> $\frac{105g}{5}$	<b>39.</b> $\frac{8r+24}{-8}$	<b>40.</b> $\frac{7h+35}{-7}$
<b>41.</b> $\frac{40a-50b}{2}$	<b>42.</b> $\frac{42c-18d}{3}$	<b>43.</b> $\frac{-8f + (-16g)}{8}$	44. $\frac{-5x + (-10y)}{5}$

- **45. CRAFTS** Hannah is making pillows. The pattern states that she needs  $1\frac{3}{4}$  yards of fabric for each pillow. If she has  $4\frac{1}{2}$  yards of fabric, how many pillows can she make?
- **46. BOWLING** Bowling centers in the United States made \$2,800,000,000 in 1990. Their receipts in 1998 were \$2,764,000,000. What was the average change in revenue for each of these 8 years? **Source:** U.S. Census Bureau





# Jewelry •·····

The discovery of gold at Sutter's Mill early in 1848 brought more than 40,000 prospectors to California within two years. Source: www.infoplease.com



Round to the n	earest hundredth.	-	
<b>47.</b> $\frac{mn}{p}$	<b>48.</b> $\frac{np}{m}$	<b>49.</b> <i>mq</i> ÷ <i>np</i>	<b>50.</b> <i>pq</i> ÷ <i>mn</i>
<b>51.</b> $\frac{n+p}{m}$	<b>52.</b> $\frac{m+p}{q}$	<b>53.</b> $\frac{m-2n}{-n+q}$	<b>54.</b> $\frac{p-3q}{-q-m}$

Evaluate each expression if m = -8, n = 6.5, p = 3.2, and q = -5.4.

**55. BUSINESS** The president of a small business is looking at her profit/loss statement for the past year. The loss in income for the last year was \$23,985. On average, what was the loss per month last year?

### **JEWELRY** For Exercises 56 and 57, use the following information.

The gold content of jewelry is given in karats. For example, 24-karat gold is pure gold, and 18-karat gold is  $\frac{18}{24}$  or 0.75 gold.

- 56. What fraction of 10-karat gold is pure gold? What fraction is not gold?
- 57. If a piece of jewelry is  $\frac{2}{3}$  gold, how would you describe it using karats?
- 58. CRITICAL THINKING What is the least positive integer that is divisible by all whole numbers from 1 to 9?
- 59. WRITING IN MATH Answer the question that was posed at the beginning of the lesson.

# How can you use division of rational numbers to describe data?

Include the following in your answer:

- an explanation of how you could use the mean of a set of data to describe changes in the data over time, and
- reasons why you think the change from year to year is not consistent.

tandardized est Practice	<b>60.</b> If the rod is cut a long will each pi	s shown, how many incl ece be?	nes	6.25 ft
	<ul><li>(A) 0.625 in.</li><li>(C) 5.2 in.</li></ul>	<ul><li><b>B</b> 1.875 in.</li><li><b>D</b> 7.5 in.</li></ul>		
	<b>61.</b> If $\frac{17}{3} = x$ , then w	that is the value of $6x + 2$	1?	
	<b>A</b> 32	<b>B</b> 33	C 35	<b>D</b> 44

# **Maintain Your Skills**

Mixed Review	Find each product.	(Lesson 2-3)									
	<b>62.</b> -4(11)	<b>63.</b> -2.5(-1.2)	<b>64.</b> $\frac{1}{4}(-5)$	<b>65.</b> 1.6(0.3)							
	Find each difference. (Lesson 2-2)										
	<b>66.</b> 8 - (-6)	<b>67.</b> 15 – 21	<b>68.</b> -7.5 - 4.8	<b>69.</b> $-\frac{5}{8} - \left(-\frac{1}{6}\right)$							
<b>70.</b> Name the property illustrated by $2(1.2 + 3.8) = 2 \cdot 5$ .											
	Simplify each expression. If not possible, write <i>simplified</i> . (Lesson 1-5)										
	<b>71.</b> $8b + 12(b + 2)$	<b>72.</b> $6(5a + 3b)$	<b>73.</b> 3	(x+2y)-2y							
Getting Ready for the Next Lesson	<b>PREREQUISITE SKILL</b> Find the mean, median, and mode for each set of data. ( <i>To review mean, median, and mode, see pages 818 and 819.</i> )										
	<b>74.</b> 40, 34, 40, 28, 38		<b>75.</b> 3, 9, 0, 2, 11, 8,	14, 3							
	<b>76.</b> 1.2, 1.7, 1.9, 1.8,	1.2, 1.0, 1.5	<b>77.</b> 79, 84, 81, 84, 75, 73, 80, 78								
www.algebra1.co	m/self_check_quiz		Lesson 2-4 Div	viding Rational Numbers 87							



# **Statistics: Displaying and Analyzing Data**

# What You'll Learn

- Interpret and create line plots and stem-and-leaf plots.
- Analyze data using mean, median, and mode.

# How are line plots and averages used to make decisions?

# Vocabulary

2-5

- line plot
- frequency
- stem-and-leaf plot
- back-to-back stem-and-leaf plot
- measures of central tendency

How many people do you know with the same first name? Some names are more popular than others. The table below lists the top five most popular names for boys and girls born in each decade from 1950 to 1999.

			Top F	ive First	Names	of Am	erica
Boys		1950-59	Michael	James	Robert	John	David
Girls			Deborah	Mary	Linda	Patricia	Susan
		1960-69	Michael	John	David	James	Robert
			Lisa	Deborah	Mary	Karen	Michelle
		1970-79	Michael Christopher Jason			David	James
			Jennifer	Michelle	Amy	Melissa	Kimberly
			Michael	Christopher	Matthew	Joshua	David
		1980-89	Jessica	Jennifer	Ashley	Sarah	Amanda
		1990-99	Michael	Christopher	Matthew	Joshua	Nicholas
			Ashley	Jessica	Sarah	Brittany	Emily
					Source	e: The World	Almanac

To help determine which names appear most frequently, these data could be displayed graphically.

**CREATE LINE PLOTS AND STEM-AND-LEAF PLOTS** In some cases, data can be presented using a line plot. Most line plots have a number line labeled with a scale to include all the data. Then an  $\times$  is placed above a data point each time it occurs to represent the **frequency** of the data.

# 



# Example 2) Use a Line Plot to Solve a Problem

• ANIMALS The speeds (mph) of 20 of the fastest land animals are listed below.

	More	About.	
-	-	-	
	2	-	
40	State of	AC	

## 


Whereas the cheetah is the fastest land animal, the fastest marine animal is the sailfish. It is capable of swimming 68 miles per hour.

Source: The Top 10 of Everything

45	70	43	45	32	42	40	40	35	50		
40	35	61	48	35	32	50	36	50	40		
Source: The World Almanac											

## a. Make a line plot of the data.

The lowest value is 30, and the highest value is 70, so use a scale that includes those values. Place an  $\times$  above each value for each occurrence.



### b. Which speed occurs most frequently?

Looking at the line plot, we can easily see that 40 miles per hour occurs most frequently.

Another way to organize and display data is by using a **stem-and-leaf plot**. In a stem-and-leaf plot, the greatest common place value is used for the *stems*. The numbers in the next greatest place value are used to form the *leaves*. In Example 2, the greatest place value is tens. Thus, 32 miles per hour would have a stem of 3 and a leaf of 2. A complete stem-and-leaf plot for the data in Example 2 is shown below.

tem	Leaf
3	2 2 5 5 5 6
4	000023558
5	000
6	1
7	<b>0</b> 3 2 = 32
	1
	key

# Example 3 Create a Stem-and-Leaf Plot

S

Use the data below to make a stem-and-leaf plot.

CONTENTS

108	104	86	82	80	72	70	62	64	68	84	64	<b>98</b>	96	98
103	87	65	83	79	97	96	112	62	80	62	83	76	66	97

The greatest common place value is tens, so the digits in the tens place are the stems.

Leaf
2 2 2 4 4 5 6 8
0269
0 0 2 3 3 4 6 7
667788
348
<b>2</b> 10 3 = 103

A **back-to-back stem-and-leaf plot** can be used to compare two related sets of data.

# Study Tip

### Stem-and-Leaf Plots


A key is included on stem-and-leaf plots to indicate what the stems and leaves represent when read.

# Example 4 Back-to-Back Stem-and-Leaf Plot

Mrs. Evans wants to compare recent test scores from her two algebra classes. The table shows the scores for both classes.

a. Make a stem-and-leaf plot to compare the data.

To compare the data, we can use a back-to-back stem-and-leaf plot. Since the data represent similar measurements, the plot will share a common stem.



Class 1	Stem	Class 2
887	6	2
99987642	7	556688
99766532	8	003355667889
843330	9	2 2 5 5 6
7 6 = 67	10	<b>0</b> $6 2 = 62$

- **b.** What is the difference between the highest score in each class? 100 98 or 2 points
- c. Which class scored higher overall on the test?
  - Looking at the scores of 80 and above, we see that class 2 has a greater number of scores at or above 80 than class 1.

**ANALYZE DATA** When analyzing data, it is helpful to have one number that describes the set of data. Numbers known as **measures of central tendency** are often used to describe sets of data because they represent a centralized, or middle, value. Three of the most commonly used measures of central tendency are the mean, median, and mode.

When you use a measure of central tendency to describe a set of data, it is important that the measure you use best represents all of the data.

- Extremely high or low values can affect the mean, while not affecting the median or mode.
- A value with a high frequency can cause the mode to be misleading.
- Data that is clustered with a few values separate from the cluster can cause the median to be too low or too high.

# Example 5 Analyze Data

	Which measure of central tendency best						
represents the data?	7	789					
Determine the mean, me	dian, and mode.	8	2 2 2 2 2 3 4 4 6				
The mean is about 0.88.	Add the data and divide by 15.	9					
The median is 0.82.	The middle value is 0.82.	10	8				
The mode is 0.82.	The most frequent value is 0.82.	11	<b>68</b> 7 9 = 0.79				

Either the median or the mode best represent the set of data since both measures are located in the center of the majority of the data. In this instance, the mean is too high.

# Study Tip

Look Back To review finding mean, median, and mode, see pages 818 and 819.



# Example 6 Determine the Best Measure of Central Tendency

**PRESIDENTS** The numbers below show the ages of the U.S. Presidents since 1900 at the time they were inaugurated. Which measure of central tendency best represents the data?

	42	51	56	55	51	54	51	60	62	
	43	55	56	61	52	69	64	46	54	
The mean is about 54.6. Add the data and divide by 18.										
The median is 5	The median is 54.5. The middle value is 54.5.									
The mode is 51.	The mode is 51. The most frequent value is 51.									
The mean or the median can be used to best represent the data. The mode for the data is too low.										

# **Check for Understanding**

Concept Check	1. Exp	lain v	vhy i	t is u	seful	to fir	id the	e mea	n, me	dian,	and	mode	e of a	set o	f data	
•	2. Mite						and a	line g	graph	are t	he sa	me tl	ning.			
		w tha		-												
	3. <b>OPE</b>							for w	vhich	the m	nedia	n is a	bette	er		
	Tepi	representation than the mean.														
Guided Practice	<b>4.</b> Use	<b>4.</b> Use the data to make a line plot.														
	22	19	14	15	14	21	19	16	22	19	10	15	19	14	19	
	For Exercises 5–7, use the list that shows the number of hours students in															
	Mr. Ricardo's class spent online last week.															
	7	4	7	11	3	1	5	10	10	0	9	4	0	14	13	4
	11 3 1 12 0 9 13 14 7 6 10 5 12 0 6 5															
	5. Make a line plot of the data.															
	<ul><li>6. Which value occurs most frequently?</li><li>7. Does the mean, median, or mode best represent the data? Explain.</li></ul>															
								-	-	nt the	e data	? Exp	plain.			
	8. Use							-			=0		01	=0	60	
	68	66	68	88	76	71	88	93	86	64	73	80	81	72	68	
	For Exe				use t	he da	nta in	the	S	tem	Le	af				
	stem-an		-							9	3 5	55				
	9. What and	at 1s tl great				etwee	n the	least		10	2 2	258				
	10. Whi	0				l ten	denci	7 hest		11		3899				
		cribes					acticy			12	01	789	93	8 = 9.3	3	
Application	BUILDIN	IGS	For l	Exerc	ises 1	1–13	use	the d	ata bo	elow	that	repre	sents	the r	numb	er
	of storie											-				
	88	88	110	88	80	69	102	78	70	54	80	85				
	83	100	60	90	77	55	73	55	56	61	75	64	105			
	11. Mal				-											
	<b>12.</b> Whi	ich va	lue o	occurs	s mos	t freq	uentl	y?								

13. Does the mode best describe the set of data? Explain.

CONTENTS

# **Practice and Apply**

Homework Help									
For Exercises	See Examples								
14-18	1, 2								
20-22, 28, 29, 32, 33, 35, 36	3, 4								
19, 23–27, 30, 31, 34, 37	5, 6								

Extra Practice See page 824.

### Use each set of data to make a line plot.

<b>14.</b> 43	36 48	52	41	54	45	48	49	52	35	44	53	46	38	41	53
<b>15.</b> 1.0	-1.5	1.5	2.0	) —	1.5	2.1	-2	.0	2.4	1.	5 –	-1.4			
2.5	1.4 -	-1.2	1.3	3	1.0	2.2	2	.3	-1.2	-1.	5	2.1			

**BASKETBALL** For Exercises 16–19, use the table that shows the seeds, or rank, of the NCAA men's basketball Final Four from 1991 to 2001.

- **16.** Make a line plot of the data.
- **17.** How many of the teams in the Final Four were *not* number 1 seeds?
- **18.** How many teams were seeded higher than third? (*Hint*: Higher seeds have lesser numerical value.)
- **19.** Which measure of central tendency best describes the data? Explain.

6	Year	Seeds
	1991 1992	1 1 2 3
	1993	1112
	1994 1995	1 1 2 3
0	1996	1 1 4 5
	1997 1998	1 1 1 4 1 2 3 3
1	1999	1 1 1 4
1	2000 2001	1 5 8 8 1 1 2 3

Source: www.espn.com

## Use each set of data to make a stem-and-leaf plot.

<b>20.</b> 6.5	6.3	6.9	7.1 7	.3 5.9	6.0	7.0	7.2	6.6	7.1	l 5.	8		
<b>21.</b> 31	30 2	28 26	5 22	34 26	31	47	32	18	33	26	23	18	29

**WEATHER** For Exercises 22–24, use the list of the highest recorded temperatures in each of the 50 states.

112	100	128	120	134	118	106	110	109	112
100	118	117	116	118	121	114	114	105	109
107	112	114	115	118	117	118	125	106	110
122	108	110	121	113	120	119	111	104	111
120	113	120	117	105	110	118	112	114	114

Source: The World Almanac

- **22.** Make a stem-and-leaf plot of the data.
- 23. Which temperature occurs most frequently?
- 24. Does the mode best represent the data? Explain.
- **25. RESEARCH** Use the Internet or another source to find the total number of each CD sold over the past six months to reach number one. Which measure of central tendency best describes the average number of top selling CDs sold? Explain.

**GEOLOGY** For Exercises 26 and 27, refer to the stem-and-leaf plot that shows the magnitudes of earthquakes occurring in 2000 that measured at least 5.0 on the Richter scale.

- **26.** What was the most frequent magnitude of these earthquakes?
- **27.** Which measure of central tendency best describes this set of data? Explain.

Stem	Leaf
5	1 2 2 3 4 8 8 9 9
6	1 1 2 3 4 5 6 7 7 8
7	011223555688
8	<b>002</b> 5 $1 = 5.1$

Source: National Geophysical Data Center



**OLYMPICS** For Exercises 28–31, use the information in the table that shows the number of medals won by the top ten countries during the 2000 Summer Olympics in Sydney, Australia.

Sydney	Olymp	ics	Total	Мес	tals by	/ 0	Country
Country	Gold		Silver		Bronze		Total
United States	40		24		33		97
Russia	32		28		28		88
China	28		16	7	15		59
Australia	16		25		17		58
Germany	13		17		26		56
France	13		14		11		38
Italy	14		8		13		35
Cuba	11		11		7		29
Britain	11		10		7		28
Korea	8		10		10		28
ource: www.espn.co	om 🔵						

- **28.** Make a line plot showing the number of gold medals won by the countries.
- 29. How many countries won fewer than 25 gold medals?
- **30.** What was the median number of gold medals won by a country?
- 31. Is the median the best measure to describe this set of data? Explain.

# **CARS** For Exercises 32–34, use the list of the fuel economy of various vehicles in miles per gallon.

25 33 29	28	29	30	24	28	29	31	34	30
33	47	34	43	33	36	37	29	30	30
29	26	29	22	23	19	18	20	23	21
20	20	19	16	18	21	20	19	28	20

Source: United States Environmental Protection Agency

- 32. Make a stem-and-leaf plot of the data.
- 33. How many of the vehicles get more than 25 miles per gallon?
- **34.** Which measure of central tendency would you use to describe the fuel economy of the vehicles? Explain your reasoning.

**EDUCATION** For Exercises 35–37, use the table that shows the top ten public libraries in the United States by population served.

	Тор	Libraries	
Location	Number of Branches	Location	Number of Branches
Brooklyn, NY	59	Los Angeles County, CA	84
Broward County, FL	34	Miami, FL	30
Chicago, IL	77	New York, NY	85
Houston, TX	37	Philadelphia, PA	52
Los Angeles, CA	67	Queens Borough, NY	62

- 35. Make a stem-and-leaf plot to show the number of library branches.
- 36. Which interval has the most values?

CONTENTS

- **37.** What is the mode of the data?
- **38. CRITICAL THINKING** Construct a set of twelve numbers with a mean of 7, a median of 6, and a mode of 8.



Education •·····

In 1848, the Boston Public Library became the first public library to allow users to borrow books and materials.

Source: The Boston Public Library



www.algebra1.com/self\_check\_quiz

# **SALARIES** For Exercises 39–41, refer to the bar graph that shows the median income of males and females based on education levels.

- **39.** What are the differences between men's and women's salaries at each level of education?
- **40.** What do these graphs say about the difference between salaries and education levels?
- **41.** Why do you think that salaries are usually represented by the median rather than the mean?
- **42. WRITING IN MATH** Answer the question that was posed at the beginning of the lesson.

How are line plots and averages used to make decisions?

Education Female (25 or older) High school graduate \$33,184 \$23,061 Some college \$39,221 \$27,757 Bachelor's degree \$60,201 \$41,747 **Doctoral degree** \$81.68 \$60,079 Source: USA TODAY

Include the following in your answer:

- a line plot to show how many male students in your class have the most popular names for the decade in which they were born, and
- a convincing argument that explains how you would use this information to sell personalized T-shirts.




# For Exercises 43 and 44, refer to the line plot.

- **43.** What is the average wingspan for these types of butterflies?
  - (A) 7.6 in. (B) 7.9 in.
  - © 8.2 in. D 9.1 in.
- **44.** Which sentence is *not* true?
  - A The difference between the greatest and least wingspan is 3.5 inches.
  - **B** Most of the wingspans are in the 7.5 inch to 8.5 inch interval.
  - C Most of the wingspans are greater than 8 inches.
  - **D** The mode of the data is 7.5 inches.

# **Maintain Your Skills**

Mixed Review	<b>Find each quotient.</b> <b>45.</b> 56 ÷ (-14)		<b>47.</b> -40.5 ÷ 3 <b>48</b>	<b>3.</b> 102 ÷ 6.8
	<b>Simplify each expre</b> <b>49.</b> $-2(6x) - 5x$		- 4x(5y) <b>51.</b> 5(3t -	(-2t) - 2(4t)
			esent the amount of monned adds $x$ dollars per we	
	Evaluate each expre	ssion if $x = 5$ , $y = 16$	, and $z = 9$ . (Lesson 1-2)	2
	<b>53.</b> $y - 3x$	<b>54.</b> <i>xz</i> ÷ 3	<b>55.</b> $2x - x + (y \div 4)$	<b>56.</b> $\frac{x^2 - z}{2y}$
Getting Ready for the Next Lesson		Write each fraction fractions, see pages 798 at $58.  \frac{54}{60}$ 62. $\frac{28}{52}$	-	<b>60.</b> $\frac{42}{48}$ <b>64.</b> $\frac{84}{90}$







**Reading Mathematics** 

# Interpreting Statistics

The word *statistics* is associated with the collection, analysis, interpretation, and presentation of numerical data. Sometimes, when presenting data, *notes* and *unit indicators* are included to help you interpret the data.

Headnotes give	Public Elementary and [(in thousands) 44,111 represents 44,111,0 As of fall year, Kindergarten includes nurse	00.]				994-1998	data are too large unit indicators are
bout the table	Grade	1994	1995	1996	1997	1998, prel.	used to save
s a whole.	Pupils enrolled	44,111	44,840	45,611	46,127	46,535	space.
	Kindergarten and grades 1 to 8 .	31,898	32,341	32,764	33,073	33,344	
	Kindergarten	4047	4173	4202	4198	4171	
	First	3593	3671	3770	3755	3727	
	Second	3440	3507	3600	3689	3682	
	Third	3439	3445	3524	3597	3696	
	Fourth	3426	3431	3454	3507	3592	
	Fifth		3438	3453	3458	3520	
	Sixth		3395	3494	3492	3497	
	Seventh		3422	3464	3520	3530	
	Eighth		3356	3403	3415	3480	
	Unclassified <sup>1</sup>	494	502	401	442	460	
	Grades 9 to 12	12,213	12,500	12,847	13,054	13,191	
ootnotes give	Ninth	3604	3704	3801	3819	3856	
	Tenth	3131	3237	3323	3376	3382	
formation	Eleventh	2748	2826	2930	2972	3018	Sources reference
pout specific	Twelfth		2487	2586	2673	2724	the origin of the
ems within the	Unclassified <sup>1</sup>	242	245	206	214	211	data. Today, a lot
ible.	<sup>1</sup> Includes ungraded and special education <b>Source:</b> U.S. Census Bureau <i>—</i>						of data is found on the Internet.

Suppose you need to find the number of students enrolled in the 9th grade in 1997. The following steps can be used to determine this information.

- **Step 1** Locate the number in the table. The number that corresponds to 1997 and 9th grade is 3819.
- **Step 2** Determine the unit indicator. The *unit indicator* is thousands.
- **Step 3** If the unit indicator is not 1 unit, multiply to find the data value. In this case, multiply 3819 by 1000.
- Step 4 State the data value. The number of students enrolled in the 9th grade in 1997 was 3,819,000.

CONTENTS

# Reading to Learn

# Use the information in the table to answer each question.

- **1.** Describe the data.
- 2. What information is given by the footnote?
- **3.** How current is the data?
- **4.** What is the unit indicator?
- **5.** How many acres of state parks and recreation areas does New York have?
- **6.** Which of the states shown had the greatest number of visitors? How many people visited that state's parks and recreation areas in 1999?

State Parks and Recreation Areas for Selected States, 1999								
State	Acreage (1000)	Visitors (1000) <sup>1</sup>						
United States	12,916	766,842						
Alaska	3291	3855						
California	1376	76,736						
Florida	513	14,645						
Indiana	178	18,652						
New York	1016	61,960						
North Carolina	158	13,269						
Oregon	94	38,752						
South Carolina	82	9563						
Texas	628	21,446						

Source: U.S. Census Bureau

1 Includes overnight visitors.

# **Probability: Simple Probability and Odds**

# What You'll Learn

- Find the probability of a simple event.
- Find the odds of a simple event.

# Vocabulary

2-6

- probability
- simple event
- sample space
- equally likely
- odds


# Idry Why is probability important in sports?

A basketball player is at the free throw line. Her team is down by one point. If she makes an average of 75% of her free throws, what is the probability that she will tie the game with her first shot?



**PROBABILITY** One way to describe the likelihood of an event occurring is with probability. The **probability** of a **simple event**, like a coin landing heads up when it is tossed, is a ratio of the number of favorable outcomes for the event to the total number of possible outcomes of the event. The probability of an event can be expressed as a fraction, a decimal, or a percent.

Suppose you wanted to find the probability of rolling a 4 on a die. When you roll a die, there are six possible outcomes, 1, 2, 3, 4, 5, or 6. This list of all possible outcomes is called the **sample space**. Of these outcomes, only one, a 4, is favorable. So, the probability of rolling a 4 is  $\frac{1}{6}$ ,  $0.1\overline{6}$ , or about 16.7%.



# Example 1 Find Probabilities of Simple Events

# a. Find the probability of rolling an even number on a die.

There are six possible outcomes. Three of the outcomes are favorable. That is, three of the six outcomes are even numbers.

Sample space: 1, 2, 3, 4, 5, 6 So, P(even number) =  $\frac{3}{6}$  or  $\frac{1}{2}$ .

b. A bowl contains 5 red chips, 7 blue chips, 6 yellow chips, and 10 green chips. One chip is randomly drawn. Find *P*(blue).

There are 7 blue chips and 28 total chips.

 $P(\text{blue chip}) = \frac{7}{28} \qquad \leftarrow \text{number of favorable outcomes} \\ \leftarrow \text{number of possible outcomes} \\ = \frac{1}{4} \text{ or } 0.25 \quad \text{Simplify.}$ 

The probability of selecting a blue chip is  $\frac{1}{4}$  or 25%.

# Study Tip

**Reading Math** *P(a)* is read the *probability of a.* 



### c. A bowl contains 5 red chips, 7 blue chips, 6 yellow chips, and 10 green chips. One chip is randomly drawn. Find *P*(red or yellow).

There are 5 ways to pick a red chip and 6 ways to pick a yellow chip. So there are 5 + 6 or 11 ways to pick a red or a yellow chip.

 $P(\text{red or yellow}) = \frac{11}{28} \quad \begin{array}{l} \leftarrow \text{ number of favorable outcomes} \\ \leftarrow \text{ number of possible outcomes} \\ \approx 0.39 \quad \text{Divide.} \end{array}$ 

The probability of selecting a red chip or a yellow chip is  $\frac{11}{28}$  or about 39%.

d. A bowl contains 5 red chips, 7 blue chips, 6 yellow chips, and 10 green chips. One chip is randomly drawn. Find *P*(not green).

There are 5 + 7 + 6 or 18 chips that are not green.


 $P(\text{not green}) = \frac{18}{28} \quad \stackrel{\leftarrow}{\leftarrow} \text{number of favorable outcomes} \\ \leftarrow \text{number of possible outcomes} \\ \approx 0.64 \quad \text{Divide.}$ 

The probability of selecting a chip that is not green is  $\frac{9}{14}$  or about 64%.

Study Tip

**Reading Math** Inclusive means that the end values are included. Notice that the probability that an event will occur is somewhere between 0 and 1 inclusive. If the probability of an event is 0, that means that it is impossible for the event to occur. A probability equal to 1 means that the event is certain to occur.

When there are *n* outcomes and the probability of each one is  $\frac{1}{n}$ , we say that the outcomes are **equally likely**. For example, when you roll a die, the 6 possible outcomes are equally likely because each outcome has a probability of  $\frac{1}{6}$ .



**ODDS** Another way to express the chance of an event occurring is with **odds**.

# Key Concept

## Odds

The odds of an event occurring is the ratio that compares the number of ways an event can occur (successes) to the number of ways it cannot occur (failures).

# Study Tip


### Odds

Odds are usually written in the form *number of successes : number of failures.* 

# Example 2 Odds of an Event

### Find the odds of rolling a number less than 3.

There are 6 possible outcomes, 2 are successes and 4 are failures.



So, the odds of rolling a number less than three are  $\frac{1}{2}$  or 1:2.



Lesson 2-6 Probability: Simple Probability and Odds 97

The odds *against* an event occurring are the odds that the event will *not* occur.

# Study Tip

In this text, a standard deck of cards always indicates 52 cards in 4 suits of 13 cards each.

# Example 3 Odds Against an Event

A card is selected at random from a standard deck of 52 cards. What are the odds against selecting a 3?

There are four 3s in a deck of cards, and there are 52 - 4 or 48 cards that are not a 3. ← number of ways to *not* pick a 3 odds against a 3 =  $\frac{48}{4}$ 

 $\leftarrow$  number of of ways to pick a 3

The odds against selecting a 3 from a deck of cards are 12:1.

# Example 4 Probability and Odds

**WEATHER** A weather forecast states that the probability of rain the next day is 40%. What are the odds that it will rain?

The probability that it will rain is 40%, so the probability that it will not rain is 60%.

odds of rain = 40:60 or 2:3

The odds that it will rain tomorrow are 2:3.

# **Check for Understanding**

Concept Check

- 1. OPEN ENDED Give an example of an impossible event, a certain event, and an equally likely event when a die is rolled.
  - 2. Describe how to find the odds of an event occurring if the probability that the event will occur is  $\frac{3}{5}$ .
  - **3. FIND THE ERROR** Mark and Doug are finding the probability of picking a red card from a standard deck of cards.

MarkDoug
$$P(red card) = \frac{26}{26} or \frac{1}{1}$$
 $P(red card) = \frac{26}{52} or \frac{1}{2}$ 

Who is correct? Explain your reasoning.

#### **Guided** Practice A card is selected at random from a standard deck of cards. Determine each probability.

- **4.** *P*(5)
- 6. *P*(odd number)

- 5. *P*(red 10)
- 7. *P*(queen of hearts or jack of diamonds)

## Find the odds of each outcome if the spinner is spun once.

- 8. multiple of 3
- 9. even number less than 8
- 10. odd number or blue
- 11. red or yellow



- Application **NUMBER THEORY** One of the factors of 48 is chosen at random.
  - **12.** What is the probability that the chosen factor is not a multiple of 4?
  - **13.** What is the probability that the number chosen has 4 and 6 as two of its factors?



# **Practice and Apply**

Homework Help				
For Exercises	See Examples			
14-35, 51, 54, 56	1			
36–47, 52, 53, 55	2, 3			
48, 49	4			
Extra Practice				

# One coin is randomly selected from a jar containing 70 nickels, 100 dimes, 80 quarters, and 50 1-dollar coins. Find each probability.


- **14.** *P*(quarter)
- **16.** *P*(nickel or dollar)
- **18.** *P*(value less than \$1.00)
- **20.** *P*(value at least \$0.25)

- **15.** *P*(dime)
- **17.** *P*(quarter or nickel)
- **19.** *P*(value greater than \$0.10)
- **21.** *P*(value at most \$1.00)

# Two dice are rolled, and their sum is recorded. Find each probability.

- **22.** *P*(sum less than 7)
- **24.** *P*(sum is greater than 12)
- **26.** *P*(sum is between 5 and 10)
- **23.** *P*(sum less than 8)
- **25.** *P*(sum is greater than 1)
- **27.** *P*(sum is between 2 and 9)

# One of the polygons is chosen at random. Find each probability.



- **28.** *P*(triangle)
- **30.** *P*(not a triangle)
- **32.** *P*(more than three sides)
- 29. P(pentagon)
- **31.** *P*(not a quadrilateral)
- **33.** *P*(more than one right angle)

34. If a person's birthday is in April, what is the probability that it is the 29th?

35. If a person's birthday is in July, what is the probability that it is after the 16th?

# Find the odds of each outcome if a computer randomly picks a letter in the name *The United States of America.*

36.	the letter <i>a</i>	37.	the letter <i>t</i>
38.	a vowel	39.	a consonant
40.	an uppercase letter	41.	a lowercase vowel

- **STAMP COLLECTING** Lanette collects stamps from different countries. She has 12 from Mexico, 5 from Canada, 3 from France, 8 from Great Britain, 1 from Russia, and 3 from Germany. Find the odds of each of the following if she accidentally loses one stamp.
- 42. the stamp is from Canada
- **43.** the stamp is from Mexico
- **44.** the stamp is not from France
- **45.** the stamp is not from a North American country

CONTENTS

- 46. the stamp is from Germany or Russia
- 47. the stamp is from Canada or Great Britain
- **48.** If the probability that an event will occur is  $\frac{3}{7}$ , what are the odds that it will occur?
- **49.** If the probability that an event will occur is  $\frac{2}{3}$ , what are the odds against it occurring?



Stamp Collecting ••

Stamp collecting can be a very inexpensive hobby. Most stamp collectors start by saving stamps from letters, packages, and postcards. Source: United States Postal

Service


www.algebra1.com/self\_check\_quiz

**50. CONTESTS** Every Tuesday, Mike's Submarine Shop has a business card drawing for a free lunch. Four coworkers from InvoAccounting put their business cards in the bowl for the drawing. If there are 80 cards in the bowl, what are the odds that one of the coworkers will win a free lunch?

# **GAMES** For Exercises 51–53, use the following information.

A game piece is randomly placed on the board shown at the right by blindfolded players.

**51.** What is the probability that a game piece is placed on a shaded region?



- **52.** What are the odds against placing a game piece on a shaded region?
- 53. What are the odds that a game piece will be placed within the green rectangle?

# **BASEBALL** For Exercises 54–56, use the following information.

The stem-and-leaf plot shows the number of home runs hit by the top major league baseball players in the 2000 season. **Source:** www.espn.com

Stem	Leaf
3	000011111112223
	0 0 0 0 1 1 1 1 1 1 1 2 2 2 3 3 4 4 4 5 5 5 6 6 6 7 7 8 8 9
4	011112233344779
5	<b>0</b> $3 \mid 0 = 30$

- **54.** What is the probability that one of these players picked at random hit more than 35 home runs?
- **55.** What are the odds that a randomly selected player hit fewer than 45 home runs?
- **56.** If a player batted 439 times and hit 38 home runs, what is the probability that the next time the player bats he will hit a home run?

# **CONTESTS** For Exercises 57 and 58, use the following information.

A fast-food restaurant is holding a contest in which the grand prize is a new sports car. Each customer is given a game card with their order. The contest rules state that the odds of winning the grand prize are 1:1,000,000.

- **57.** For any randomly-selected game card, what is the probability that it is the winning game card for the grand prize?
- **58.** Do your odds of winning the grand prize increase significantly if you have several game cards? Explain.
- **59. CRITICAL THINKING** Three coins are tossed, and a tail appears on at least one of them. What is the probability that at least one head appears?
- **60.** WRITING IN MATH Answer the question that was posed at the beginning of the lesson.

# Why is probability important in sports?

Include the following in your answer:

- examples of two sports in which probability is used and an explanation of each sport's importance, and
- examples of methods other than probability used to show chance.



You can use real-world data to find the probability that a person will live to be 100. Visit www.algebra1.com/ webquest to continue work on your WebQuest project.





- **61.** If the probability that an event will occur is  $\frac{12}{25}$ , what are the odds that the event will *not* occur?
  - (A) 12:13
    (B) 13:12
    (C) 13:25
    (D) 25:12
- 62. What is the probability that a number chosen at random from the domain  $\{-6, -5, -4, -3, -2, -1, 0, 1, 2, 3, 4, 5, 6, 7, 8\}$  will satisfy the inequality  $3x + 2 \le 17?$ (A) 20% (B) 27% (C) 73% (D) 80%

Maintain Your	Skills						
Mixed Review	<b>63. WEATHER</b> The following data represents the average daily temperature in Fahrenheit for Sacramento, California, for two weeks during the month of Ma Organize the data using a stem-and-leaf plot. (Lesson 2-5)58.364.366.765.168.767.069.370.072.877.477.473.275.865.5				ng the month of May. 69.3		
	Evaluate each expression if $a = -\frac{1}{3}$ , $b = \frac{2}{5}$ , and $c = \frac{1}{2}$ . (Lesson 2-4) 64. $b \div c$ 65. $2a \div b$ 66. $\frac{ab}{c}$						
	Find each sum. (Lesson 2-2)						
	<b>67.</b> 4.3 + (-)	8.2)	<b>68.</b> -12.2 -	+ 7.8	<b>69.</b> $-\frac{1}{4} + ($	$\left(-\frac{3}{8}\right)$	<b>70.</b> $\frac{7}{12} + \left(-\frac{5}{6}\right)$
	Find each absolute value. (Lesson 2-1)						
	<b>71.</b>  4.25		72.  -8.4		<b>73.</b> $\left -\frac{2}{3}\right $		<b>74.</b> $\left \frac{1}{6}\right $
Getting Ready for the Next Lesson	-						
	<b>75.</b> 6 <sup>2</sup>		<b>76.</b> 17 <sup>2</sup>		77. $(-8)^2$		<b>78.</b> $(-11.5)^2$
	<b>79.</b> 1.6 <sup>2</sup>	:	<b>80.</b> $\left(\frac{5}{12}\right)^2$		<b>81.</b> $\left(-\frac{4}{9}\right)^2$		82. $\left(-\frac{16}{15}\right)^2$

Practice Quiz 2		Lessons 2-4 through 2-6		
Find each quotient. (Lesson 2-4				
<b>1.</b> $-136 \div (-8)$	<b>2.</b> $15 \div \left(-\frac{3}{8}\right)$	<b>3.</b> (-46.8) ÷ 4		
Simplify each expression. (Le	son 2-4)			
4. $\frac{3a+9}{3}$	5. $\frac{4x+32}{4}$	6. $\frac{15n-20}{-5}$		
7. State the scale you would use to make a line plot for the following data. Then draw the line plot. (Lesson 2-5)				
1.9 1.1 3.2 5.0 4.3	2.7 2.5 1.1 1.4	1.8 1.8 1.6		
4.3 2.9 1.4 1.7 3.6	2.9 1.9 0.4 1.3	0.9 0.7 1.9		
Determine each probability if two dice are rolled. (Lesson 2-6) $P_{\text{curres}} = (10)$				
8. <i>P</i> (sum of 10)	<b>9.</b> $P(sum \ge 6)$	<b>10.</b> <i>P</i> (sum < 10)		

CONTENTS


Algebra Activity

A Follow-Up of Lesson 2-6

# Investigating Probability and Pascal's Triangle

### Collect the Data

• If a family has one child, you know that the child is either a boy or a girl. You can make a simple table to show this type of family.



You can see that there are 2 possibilities for a one-child family.

• If a family has two children, the table below shows the possibilities for two children, including the order of birth. For example, BG means that a boy is born first and a girl second.

2 boys, 0 girls	1 boy, 1 girl	0 boys, 2 girls
BB	BG	GG
	GB	J

There are 4 possibilities for the two-child family: BB, BG, GB, or GG.

### Analyze the Data

- **1.** Copy and complete the table that shows the possibilities for a three-child family.
- **2.** Make your own table to show the possibilities for a four-child family.

3 boys	2 boys, 1 girl	1 boy, 2 girls	3 girls
BBB	BBG	BGG	GGG

- **3.** List the total number of possibilities for a one-child, two-child, three-child, and four-child family. How many possibilities do you think there are for a five-child family? a six-child family? Describe the pattern of the numbers you listed.
- **4.** Find the probability that a three-child family has 2 boys and 1 girl.
- **5.** Find the probability that a four-child family has 2 boys and 2 girls.

#### Make a Conjecture

**6.** Blaise Pascal was a French mathematician who lived in the 1600s. He is known for this triangle of numbers, called Pascal's triangle, although the pattern was known by other mathematicians before Pascal's time.



Explain how Pascal's triangle relates to the possibilities for the make-up of families. (*Hint*: The first row indicates that there is 1 way to have 0 children.)

7. Use Pascal's triangle to find the probability that a four-child family has 1 boy.

1



# 2-7 Square Roots and Real Numbers

## What You'll Learn

- Find square roots.
- Classify and order real numbers.

## Vocabulary

- square root
- perfect square
- radical sign
- principal square root
- irrational numbers
- real numbers
- rational approximations

# *How* can using square roots determine the surface area of the human body?


In the 2000 Summer Olympics, Australian sprinter Cathy Freeman wore a special running suit that covered most of her body. The surface area of the human body may be found using the formula below, where height is measured in centimeters and weight is in kilograms.

Surface Area =  $\sqrt{\frac{\text{height} \times \text{weight}}{3600}}$  square meters The symbol  $\sqrt{-}$  designates a square root.




**SQUARE ROOTS** A square root is one of two equal factors of a number. For example, one square root of 64 is 8 since  $8 \cdot 8$  or  $8^2$  is 64. Another square root of 64 is -8 since  $(-8) \cdot (-8)$  or  $(-8)^2$  is also 64. A number like 64, whose square root is a rational number is called a **perfect square**.

The symbol  $\sqrt{\phantom{0}}$ , called a **radical sign**, is used to indicate a nonnegative or **principal square root** of the expression under the radical sign.



Note that  $-\sqrt{64}$  is not the same as  $\sqrt{-64}$ . The notation  $-\sqrt{64}$  represents the negative square root of 64. The notation  $\sqrt{-64}$  represents the square root of -64, which is not a real number since no real number multiplied by itself is negative.



CONTENTS

### Study Tip

#### **Reading Math**

 $\pm \sqrt{64}$  is read *plus or minus the square root of 64.* Exponents can also be used to indicate the square root.  $9^{\frac{1}{2}}$  means the same thing as  $\sqrt{9}$ .  $9^{\frac{1}{2}}$  is read *nine to the one half power.*  $9^{\frac{1}{2}} = 3$ . b.  $\pm \sqrt{0.81}$  $\pm \sqrt{0.81}$  represents the positive and negative square roots of 0.81.  $0.81 = 0.9^2$  and  $0.81 = (-0.9)^2$  $\pm \sqrt{0.81} = \pm 0.9$ 


**CLASSIFY AND ORDER NUMBERS** Recall that rational numbers are numbers that can be expressed as terminating or repeating decimals, or in the form  $\frac{a}{b}$ , where *a* and *b* are integers and  $b \neq 0$ .

As you have seen, the square roots of perfect squares are rational numbers.

However, numbers such as  $\sqrt{3}$  and  $\sqrt{24}$  are the square roots of numbers that are not perfect squares. Numbers like these cannot be expressed as a terminating or repeating decimal.

 $\sqrt{3} = 1.73205080...$  $\sqrt{24} = 4.89897948...$ 

Numbers that cannot be expressed as terminating or repeating decimals, or in the form  $\frac{a}{b}$ , where *a* and *b* are integers and  $b \neq 0$ , are called **irrational numbers**. Irrational numbers and rational numbers together form the set of **real numbers**.



## Example 2 Classify Real Numbers

Name the set or sets of numbers to which each real number belongs.

a.  $\frac{5}{22}$ 

Because 5 and 22 are integers and  $5 \div 22 = 0.2272727...$ , which is a repeating decimal, this number is a rational number.

b.  $\sqrt{121}$ 

Because  $\sqrt{121} = 11$ , this number is a natural number, a whole number, an integer, and a rational number.

c. √56

Because  $\sqrt{56} = 7.48331477...$ , which is not a repeating or terminating decimal, this number is irrational.

- d.  $-\frac{36}{4}$ 
  - Because  $-\frac{36}{4} = -9$ , this number is an integer and a rational number.



## Study Tip

#### Common Misconception

Pay close attention to the placement of a negative sign when working with square roots.  $\sqrt{-121}$  is undefined for real numbers since no real number multiplied by itself can result in a negative product.

In Lesson 2-1 you graphed rational numbers on a number line. However, the rational numbers alone do not complete the number line. By including irrational numbers, the number line is complete. This is illustrated by the **Completeness Property** which states that each point on the number line corresponds to exactly one real number.

Recall that inequalities like x < 7 are open sentences. To solve the inequality, determine what replacement values for x make the sentence true. This can be shown by the solution set {all real numbers less than 7}. Not only does this set include integers like 5 and -2, but it also includes rational numbers like  $\frac{3}{8}$  and  $-\frac{12}{12}$  and irrational numbers like  $\sqrt{40}$  and  $\pi$ .

## Example 3 Graph Real Numbers

Graph each solution set.

a. x > -2

The heavy arrow indicates that all numbers to the right of -2 are included in the graph. The circle at -2 indicates -2 is *not* included in the graph.

-5 -4 -3 -2 -1 0 1 2 3 4 5 6

The heavy arrow indicates that all points to the left of 4.5 are included in the graph. The dot at 4.5 indicates that 4.5 *is* included in the graph.

To express irrational numbers as decimals, you need to use a rational approximation. A **rational approximation** of an irrational number is a rational number that is close to, but not equal to, the value of the irrational number. For example, a rational approximation of  $\sqrt{2}$  is 1.41 when rounded to the nearest hundredth.

## Example 4 Compare Real Numbers

Replace each ● with <, >, or = to make each sentence true.

a.  $\sqrt{19} \bullet 3.\overline{8}$ 

Find two perfect squares closest to  $\sqrt{19}$  and write an inequality.

 $\begin{array}{ll} 16 < & 19 \\ \sqrt{16} < \sqrt{19} < 25 \\ 4 < \sqrt{19} < 5 \end{array} \begin{array}{l} \mbox{19 is between 16 and 25.} \end{array}$  Find the square root of each number.  $\begin{array}{l} \sqrt{16} < \sqrt{19} < \sqrt{25} \\ \sqrt{19} \mbox{is between 4 and 5.} \end{array}$ 

Since  $\sqrt{19}$  is between 4 and 5, it must be greater than  $3.\overline{8}$ . So,  $\sqrt{19} > 3.\overline{8}$ .

b.  $7.\overline{2} \bullet \sqrt{52}$ 

You can use a calculator to find an approximation for  $\sqrt{52}$ .

CONTENTS

 $\sqrt{52} = 7.211102551...$ 7. $\overline{2} = 7.222...$ 

Therefore,  $7.\overline{2} > \sqrt{52}$ .

You can write a set of real numbers in order from greatest to least or from least to greatest. To do so, find a decimal approximation for each number in the set and compare.

**Example 5** Order Real Numbers Write 2.63,  $-\sqrt{7}$ ,  $\frac{8}{3}$ ,  $\frac{53}{-20}$  in order from least to greatest. Write each number as a decimal. 2.63 = 2.6363636... or about 2.636.  $-\sqrt{7} = -2.64575131...$  or about -2.646.  $\frac{8}{3} = 2.6666666666...$  or about 2.667.  $\frac{53}{-20} = -2.65$  -2.65 < -2.646 < 2.636 < 2.667The numbers arranged in order from least to greatest are  $\frac{53}{-20}$ ,  $-\sqrt{7}$ , 2.63,  $\frac{8}{3}$ .

You can use rational approximations to test the validity of some algebraic statements involving real numbers.

Example 6 Rational Approximation Standardized Test Practice **Multiple-Choice Test Item** A B C D For what value of *x* is  $\frac{1}{\sqrt{x}} > \sqrt{x} > x$  true? C −2 (A)  $\frac{1}{2}$ **B** 0 **D** 3 **Read the Test Item** The expression  $\frac{1}{\sqrt{x}} > \sqrt{x} > x$  is an open sentence, and the set of choices  $\left\{\frac{1}{2}, 0, -2, 3\right\}$  is the replacement set. Solve the Test Item Replace *x* in  $\frac{1}{\sqrt{x}} > \sqrt{x} > x$  with each given value. (A)  $x = \frac{1}{2}$ **B** x = 0 $\frac{1}{\sqrt{\frac{1}{2}}} \stackrel{?}{\Rightarrow} \sqrt{\frac{1}{2}} \stackrel{?}{\Rightarrow} \frac{1}{2} \qquad \text{Use a calculator.} \qquad \frac{1}{\sqrt{0}} \stackrel{?}{\Rightarrow} \sqrt{0} \stackrel{?}{\Rightarrow} 0$ Test-Taking Tip You could stop when you False;  $\frac{1}{\sqrt{0}}$  is not a real number. find that A is a solution.  $1.41 > 0.71 > 0.5 \checkmark$  True But testing the other values is a good check. (C) x = -2**D** x = 3 $\frac{1}{\sqrt{3}} \stackrel{?}{>} \sqrt{3} \stackrel{?}{>} 3$  Use a calculator. 0.58 1.73 > 3 False  $\frac{1}{\sqrt{-2}} \stackrel{?}{>} \sqrt{-2} \stackrel{?}{>} -2$ False;  $\frac{1}{\sqrt{-2}}$  and  $\sqrt{-2}$  are not real numbers. The inequality is true for  $x = \frac{1}{2}$ , so the correct answer is A.



## **Check for Understanding**

Concept Check	<b>1. Tell</b> whether the spositive. Explain		eal number is a	lways, sometimes or never		
	<b>2. OPEN ENDED</b> Describe the difference between rational numbers and irrational numbers. Give examples of both.					
	<b>3. Explain</b> why you	cannot evaluate $$	-25 using real	numbers.		
Guided Practice	Find each square roo	t. If necessary, roun	d to the neares	t hundredth.		
	<b>4.</b> $-\sqrt{25}$	5. $\sqrt{1.44}$	6. $\pm \sqrt{\frac{16}{49}}$	7. $\sqrt{32}$		
	Name the set or sets	of numbers to whic	h each real nu	mber belongs.		
	8. $-\sqrt{64}$	<b>9.</b> $\frac{8}{3}$	<b>10.</b> $\sqrt{28}$	<b>11.</b> $\frac{56}{7}$		
	Graph each solution	set.				
	<b>12.</b> $x < -3.5$		<b>13.</b> $x \ge -7$			
	Replace each • with	<, >, or = to make	each sentence	true.		
	<b>14.</b> $0.3 \bullet \frac{1}{3}$	<b>15.</b> $\frac{2}{9} \bullet 0.\overline{2}$		<b>16.</b> $\frac{1}{6} \bullet \sqrt{6}$		
	Write each set of numbers in order from least to greatest.					
	<b>17.</b> $\frac{1}{8}$ , $\sqrt{\frac{1}{8}}$ , $0.\overline{15}$ , $-15$		<b>18.</b> $\sqrt{30}, 5\frac{4}{9},$	13, $\frac{1}{\sqrt{30}}$		
Standardized	<b>19.</b> For what value of (A) $\frac{1}{3}$	f a is $-\sqrt{a} < -\frac{1}{\sqrt{a}}$	true?			
Test Practice	(A) $\frac{1}{3}$	<b>B</b> −4	© 2	<b>D</b> 1		

## **Practice and Apply**

Homework Help	Find each squar	e root. If necessary, round to t	he nearest hundredth.
For See	<b>20.</b> $\sqrt{49}$	<b>21.</b> $\sqrt{81}$	<b>22.</b> $\sqrt{5.29}$
Exercises Examples	<b>23.</b> $\sqrt{6.25}$	<b>24.</b> $-\sqrt{78}$	<b>25.</b> $-\sqrt{94}$
20-31, 1 50, 51 32-49 2 52-57 3	<b>26.</b> $\pm \sqrt{\frac{36}{81}}$	<b>27.</b> $\pm \sqrt{\frac{100}{196}}$	<b>28.</b> $\sqrt{\frac{9}{14}}$
52-57         5           58-63         4           64-69         5	<b>29.</b> $\sqrt{\frac{25}{42}}$	<b>30.</b> $\pm\sqrt{820}$	<b>31.</b> $\pm\sqrt{513}$
Extra Practice	_	sets of numbers to which each	
See page 825.	<b>32.</b> $-\sqrt{22}$	<b>33.</b> $\frac{36}{6}$	<b>34.</b> $\frac{1}{3}$
	<b>35.</b> $-\frac{5}{12}$	<b>36.</b> $\sqrt{\frac{82}{20}}$	<b>37.</b> $-\sqrt{46}$
	<b>38.</b> $\sqrt{10.24}$	<b>39.</b> $\frac{-54}{19}$	<b>40.</b> $-\frac{3}{4}$
	<b>41.</b> $\sqrt{20.25}$	<b>42.</b> $\frac{18}{3}$	<b>43.</b> $\sqrt{2.4025}$
	<b>44.</b> $\frac{-68}{35}$	<b>45.</b> $\frac{6}{11}$	<b>46.</b> $\sqrt{5.5696}$
	<b>47.</b> $\sqrt{\frac{78}{42}}$	<b>48.</b> $-\sqrt{9.16}$	49. π

- **50. PHYSICAL SCIENCE** The time it takes for a falling object to travel a certain distance *d* is given by the equation  $t = \sqrt{\frac{d}{16}}$ , where *t* is in seconds and *d* is in feet. If Krista dropped a ball from a window 28 feet above the ground, how long would it take for the ball to reach the ground?
- **51. LAW ENFORCEMENT** Police can use the formula  $s = \sqrt{24d}$  to estimate the speed *s* of a car in miles per hour by measuring the distance *d* in feet a car skids on a dry road. On his way to work, Jerome skidded trying to stop for a red light and was involved in a minor accident. He told the police officer that he was driving within the speed limit of 35 miles per hour. The police officer measured his skid marks and found them to be  $43\frac{3}{4}$  feet long. Should the officer give Jerome a ticket for speeding? Explain.

#### Graph each solution set.

<b>52.</b> $x > -12$	<b>53.</b> $x \le 8$	<b>54.</b> $x \ge -10.2$
<b>55.</b> $x < -0.25$	<b>56.</b> $x \neq -2$	<b>57.</b> $x \neq \pm \sqrt{36}$

Replace each $\bullet$ with <, >, or = to make	each sentence true.
<b>58.</b> $5.\overline{72} \bullet \sqrt{5}$	<b>59.</b> $2.\overline{63} \bullet \sqrt{8}$
<b>60.</b> $\frac{1}{7} \bullet \frac{1}{\sqrt{7}}$	<b>61.</b> $\frac{2}{3} \bullet \frac{2}{\sqrt{3}}$
<b>62.</b> $\frac{1}{\sqrt{31}} \bullet \frac{\sqrt{31}}{31}$	<b>63.</b> $\frac{\sqrt{2}}{2} \bullet \frac{1}{2}$

Write each set of numbers in order from least to greatest.

<b>64.</b> $\sqrt{0.42}$ , $0.\overline{63}$ , $\frac{\sqrt{4}}{3}$	<b>65.</b> $\sqrt{0.06}, 0.\overline{24}, \frac{\sqrt{9}}{12}$
<b>66.</b> $-1.\overline{46}, 0.2, \sqrt{2}, -\frac{1}{6}$	<b>67.</b> $-4.\overline{83}, 0.4, \sqrt{8}, -\frac{3}{8}$
<b>68.</b> $-\sqrt{65}, -6\frac{2}{5}, -\sqrt{27}$	<b>69.</b> $\sqrt{122}$ , $7\frac{4}{9}$ , $\sqrt{200}$

## **TOURISM** For Exercises 70–72, use the following information.

The formula to determine the distance d in miles that an object can be seen on a clear day on the

surface of a body of water is  $d = 1.4\sqrt{h}$ , where *h* is the height in feet of the viewer's eyes above the surface of the water.

- **70.** A charter plane is used to fly tourists on a sightseeing trip along the coast of North Carolina. If the plane flies at an altitude of 1500 feet, how far can the tourists see?
- **71.** Dillan and Marissa are parasailing while on vacation. Marissa is 135 feet above the ocean while Dillan is 85 feet above the ocean. How much farther can Marissa see than Dillan?
- **72.** The observation deck of a lighthouse stands 120 feet above the ocean surface. Can the lighthouse keeper see a boat that is 17 miles from the lighthouse? Explain.
- **73. CRITICAL THINKING** Determine when the following statements are all true for real numbers *q* and *r*.

**a.**  $q^2 > r^2$  **b.**  $\frac{1}{q} < \frac{1}{r}$  **c.**  $\sqrt{q} > \sqrt{r}$  **d.**  $\frac{1}{\sqrt{q}} < \frac{1}{\sqrt{r}}$ 



#### 

Built in 1758, the Sambro Island Lighthouse at Halifax Harbor is the oldest operational lighthouse in North America. Source: Canadian Coast Guard



**GEOMETRY** For Exercises 74–76, use the table.

	Squares	
Area (units <sup>2</sup> )	Side Length	Perimeter
1		
4		
9		
16		
25		

- **74.** Copy and complete the table. Determine the length of each side of each square described. Then determine the perimeter of each square.
- 75. Describe the relationship between the lengths of the sides and the area.
- **76.** Write an expression you can use to find the perimeter of a square whose area is a units<sup>2</sup>.
- 77. WRITING IN MATH Answer the question that was posed at the beginning of the lesson.

How can using square roots determine the surface area of the human body? Include the following in your answer:

- an explanation of the order of operations that must be followed to calculate the surface area of the human body,
- a description of other situations in which you might need to calculate the surface area of the human body, and
- examples of real-world situations involving square roots.

Standardized<br/>Test Practice78. Which point on the number line is closest<br/>to  $-\sqrt{7}$ ?R<br/>-4ST<br/>-4U<br/>-4ARBSCTDU79. Which of the following is a true statement?

## (A) $-\frac{6}{3} > \frac{3}{6}$ (B) $-\frac{3}{6} > -\frac{6}{3}$ (C) $-\frac{3}{6} < -\frac{6}{3}$ (D) $\frac{6}{3} < \frac{3}{6}$

### **Maintain Your Skills**

Mixed Review Find the odds of each outcome if a card is randomly selected from a standard deck of cards. (Lesson 2-6)

**80.** red 4

- 81. even number
- **82.** against a face card
- card 83. against an ace
- **84. AUTO RACING** Jeff Gordon's finishing places in the 2000 season races are listed below. Which measure of central tendency best represents the data? Explain. (*Lesson 2-5*)

34	10	28	9	8	8	25	4	1	11	14	10	32	14	8	1	4
10	5	3	33	23	36	23	4	1	6	9	5	39	4	2	7	7

Simplify each expression. (Lesson 2-3)

**85.** 4(-7) - 3(11)**87.** 1.2(4x - 5y) - 0.2(-1.5x + 8y) **86.** 3(-4) + 2(-7)**88.** -4x(y - 2z) + x(6z - 3y)







**Study Guide and Review** 

## Vocabulary and Concept Check

absolute value (p. 69) additive inverses (p. 74) back-to-back stem-and-leaf plot (p. 89) Completeness Property (p. 105) coordinate (p. 69) equally likely (p. 97) frequency (p. 88) graph (p. 69) infinity (p. 68) integers (p. 68) irrational number (p. 104) line plot (p. 88) measures of central tendency (p. 90) natural number (p. 68) negative number (p. 68) odds (p. 97) opposites (p. 74) perfect square (p. 103) positive number (p. 68) principal square root (p. 103) probability (p. 96) radical sign (p. 103) rational approximation (p. 105) rational number (p. 68) real number (p. 104) sample space (p. 96) simple event (p. 96) square root (p. 103) stem-and-leaf plot (p. 89) whole number (p. 68)

www.algebra1.com/vocabulary\_review

State whether each sentence is *true* or *false*. If false, replace the underlined term or number to make a true sentence.

- **1.** The absolute value of -26 is 26.
- 2. Terminating decimals are rational numbers.
- **3.** The principal square root of 144 is <u>12</u>.
- 4.  $-\sqrt{576}$  is an <u>irrational number</u>.
- 5. 225 is a perfect square.
- 6. -3.1 is an integer.
- 7. 0.666 is a repeating decimal.
- 8. The product of two numbers with different signs is negative.

## **Lesson-by-Lesson Review**



## Rational Numbers on the Number Line

#### **Concept Summary**

Graph

- A set of numbers can be graphed on a number line by drawing points.
- To evaluate expressions with absolute value, treat the absolute value symbols as grouping symbols.

#### Example

$$\{\dots, -5, -4, -3\}.$$

The bold arrow means that the graph continues indefinitely in that direction.

 Exercises
 Graph each set of numbers.
 See Example 2 on page 69.

 9.  $\{5, 3, -1, -3\}$  10.  $\left\{-1\frac{1}{2}, -\frac{1}{2}, \frac{1}{2}, 1\frac{1}{2}, ...\right\}$  

 11. {integers less than -4 and greater than or equal to 2}


 Evaluate each expression if x = -4, y = 8, and z = -9.
 See Example 4 on page 70.

 12. 32 - |y - 3| 13. 3|x| - 7 14. 4 + |z| 15. 46 - y|x| 

CONTENTS

<ul> <li>Concept Summary</li> <li>To add rational number The sum has the same s</li> <li>To add rational number value from the greater a number with the greater</li> </ul>	rs with the <i>same</i> sign sign as the addends. rs with <i>different</i> signs absolute value. The s rr absolute value.	, add their absolute valu , subtract the lesser absour has the same sign a	ies. olute
-(1+2)	Both numbers are negative, so the		To subtract 18, add its inverse. The absolute value of 18 is greater, so the result is negative.
<b>16.</b> $4 + (-4)$ <b>19.</b> $-3.9 + 2.5$ <b>22.</b> $-2 - 10$	<b>17.</b> 2 + (-7) <b>20.</b> $-\frac{1}{4} + \left(-\frac{1}{8}\right)$ <b>23.</b> 9 - (-7)	<b>18.</b> $-0.8 + (-$	-1.2) 18
<b>Concept Summary</b> • The product of two num • The product of two num <b>Multiply</b> $\left(-2\frac{1}{7}\right)\left(3\frac{2}{3}\right)$ . $\left(-2\frac{1}{7}\right)\left(3\frac{2}{3}\right) = \frac{-15}{7} \cdot \frac{11}{3}$	nbers having the sar nbers having differe Write as improper fract	ne sign is positive. nt signs is negative.	
<ul> <li>28. (-11)(9)</li> <li>312.4(-3.6)</li> <li>Simplify each expression</li> </ul>	<b>29.</b> $12(-3)$ <b>32.</b> $\frac{3}{4} \cdot \frac{7}{12}$ . See Example 2 on particular	<b>30.</b> $-8.2(4.5)$ <b>33.</b> $\left(-\frac{1}{3}\right)\left(-\frac{9}{10}\right)$	J /
	Concept Summary • To add rational number The sum has the same set • To add rational number value from the greater and number with the greater • To subtract a rational matrix 1 Find -4 + (-3). -4 + (-3) = -( -4  +  -3 ) = -(4 + 3) = -7 Exercises Find each sum 16. $4 + (-4)$ 19. $-3.9 + 2.5$ 22. $-2 - 10$ 25. $-7.7 - (-5.2)$ Multiply $(-2\frac{1}{7})(3\frac{2}{3})$ . $(-2\frac{1}{7})(3\frac{2}{3}) = \frac{-15}{7} \cdot \frac{11}{3}$ $= \frac{-55}{7}$ or $-7\frac{6}{7}$ Exercises Find each prov 28. $(-11)(9)$ 31. $-2.4(-3.6)$ Simplify each expression	Concept Summary • To add rational numbers with the same sign The sum has the same sign as the addends. • To add rational numbers with different signs value from the greater absolute value. The second term with the greater absolute value. • To subtract a rational number, add its additional terms and the greater absolute value. • To subtract a rational number, add its additional terms are the greater absolute value. • To subtract a rational number, add its additional terms are the greater absolute value. • To subtract a rational number, add its additional terms are the sum is negative. • To subtract a rational number are the sum is negative. • To subtract a rational number are the sum is negative. • To add the sum or difference. Second terms are the sum is negative. • To additional terms are the sum of the sum is negative. • To additional terms are the sum of the sum is negative. • The product of two numbers having the same are the product of two numbers having difference. • The product of two numbers having the same are the product of two numbers having the same are the product of two numbers having the same are the product of two numbers having the same are the product of two numbers having the same are the product of two numbers having the same are the product of two numbers having the same are the product of two numbers having the same are the product of two numbers having the same are the product of two numbers having the same are the product of two numbers having the same are the product of two numbers having the same are the product of two numbers having the same are the same are the same are the same are the product. See Examples 128. (-11)(9) 29. 12(-3) 312.4(-3.6) 32. $\frac{3}{4} \cdot \frac{7}{12}$ Simplify each expression. See Example 2 on particular terms are the same are t	• To add rational numbers with the <i>same</i> sign, add their absolute value. • To add rational numbers with <i>different</i> signs, subtract the lesser absolute value from the greater absolute value. • To subtract a rational number, add its additive inverse. 1 Find $-4 + (-3)$ = -( -4  +  -3 ) Both numbers are negative, so the sum is negative. = -(1 - 4 + (-3)) = -(1 - 18) = -(1 - 18) = -(1 - 18) = -(1 - 18) = -(







88-94.

## Statistics: Displaying and Analyzing Data

#### **Concept Summary**


- A set of numerical data can be displayed in a line plot or stem-and-leaf plot.
- A measure of central tendency represents a centralized value of a set of data. Examine each measure of central tendency to choose the one most representative of the data.

CONTENTS

#### **Examples** 1 Draw a line plot for the data.

2 8 6 4 5 9 13 12 5 2 5 5 2

The value of the data ranges from 2 to 13. Construct a number line containing those points. Then place an  $\times$  above a number each time it occurs.



SCHOOL Melinda's scores on the 25-point quizzes in her English class are 20, 21, 12, 21, 22, 22, 22, 21, 20, 20, and 21. Which measure of central tendency best represents her grade?

20.2 Add the data and divide by 11. mean:

median: 21 The middle value is 21.

mode: 21 The most frequent value is 21.

The median and mode are both representative of the data. The mean is less than most of the data.

#### Exercises

**49.** Draw a line plot for the data. Then make a stem-and-leaf plot. See Examples 1-3 on pages 88 and 89.

28	17	16	18	19	21	26	15
19	19	16	14	21	12	26	17
30	17	13	18	14	22	20	12
19	19	15	12	15	21	15	17

**50. BUSINESS** Of the 42 employees at Pirate Printing, four make \$6.50 an hour, sixteen make \$6.75 an hour, six make \$6.85 an hour, thirteen make \$7.25 an hour, and three make \$8.85 an hour. Which measure best describes the average wage? Explain. See Examples 5 and 6 on pages 90 and 91.

**51. HOCKEY** Professional hockey uses a point system based on wins, losses and ties, to determine teams' rank. The stem-and-leaf plot shows the number of points earned by each of the 30 teams in the National Hockey League during the 2000–2001 season. Which measure of central tendency best describes the average number of points earned? Explain. See Example 5 on page 90.

Stem	Leaf
11	1 1 8 0 3 6 9
10	0369
9	0 0 0 2 3 5 6 6 8
8	088
7	0 1 1 2 3 0 6 6 8
6	0668
5	2 9 11 1 = 111

## -6 Probability: Simple Probability and Odds

#### See pages **Concept Summary**

• The probability of an event *a* can be expressed as

 $P(a) = \frac{\text{number of favorable outcomes}}{\text{total number of possible outcomes}}$ 

• The odds of an event can be expressed as the ratio of the number of successful outcomes to the number of unsuccessful outcomes.

CONTENTS


Examples 1

96-101.

#### Find the probability of randomly choosing the letter *I* in the word *MISSISSIPPI*.

← number of favorable outcomes  $P(\text{letter I}) = \frac{4}{11}$  $\leftarrow$  number of possible outcomes  $\approx 0.36$ 

The probability of choosing an I is  $\frac{4}{11}$  or about 36%.





## Square Roots and Real Numbers

#### **Concept Summary**

- A square root is one of two equal factors of a number.
- The symbol  $\sqrt{1}$  is used to indicate the nonnegative square root of a number.

### **Example** Find $\sqrt{169}$ .

 $\sqrt{169}$  represents the square root of 169.

 $169 = 13^2 \rightarrow \sqrt{169} = 13$ 

**Exercises** Find each square root. If necessary, round to the nearest hundredth. See Example 1 on page 103.

**60.** 
$$\sqrt{196}$$

**61.**  $\pm\sqrt{1.21}$  **62.**  $-\sqrt{160}$  **63.**  $\pm\sqrt{\frac{4}{225}}$ 

Name the set or sets of numbers to which each real number belongs. See Example 2 on page 104.

65.  $\frac{\sqrt{64}}{2}$ 64.  $\frac{16}{25}$ 66.  $-\sqrt{48.5}$ 

Replace each • with <, >, or = to make each sentence true. See Example 4 on page 105.

67. 
$$\frac{1}{8} \bullet \frac{1}{\sqrt{49}}$$
 68.  $\sqrt{\frac{2}{3}} \bullet \frac{4}{9}$  69.  $\sqrt{\frac{3}{4}} \bullet \sqrt{\frac{3}{4}}$ 

70. WEATHER Meteorologists can use the formula  $t = \sqrt{\frac{d^3}{216}}$  to estimate the

amount of time *t* in hours a storm of diameter *d* will last. Suppose the eye of a hurricane, which causes the greatest amount of destruction, is 9 miles in diameter. To the nearest tenth of an hour, how long will the worst part of the hurricane last? See Example 1 on pages 103 and 104.





## **Vocabulary and Concepts**

#### Choose the correct term to complete each sentence.

- 1. The (absolute value, square) of a number is its distance from zero on a number line.
- **2.** A number that can be written as a fraction where the numerator and denominator are integers and the denominator does not equal zero is a *(repeating, rational)* number.
- 3. The list of all possible outcomes is called the (*simple event, sample space*).

## **Skills and Applications**

**Evaluate each expression.** 

4. $- x  - 38$ if $x = -2$	5. $34 -  x + 21 $ if $x = -7$	6. $-12 +  x - 8 $ if $x = 1.5$
Find each sum or difference.		
<b>7.</b> -19 + 12	<b>8.</b> -21 - (-34)	<b>9.</b> 16.4 + (-23.7)
<b>10.</b> 6.32 - (-7.41)	<b>11.</b> $-\frac{7}{16} + \frac{3}{8}$	<b>12.</b> $-\frac{7}{12} - \left(-\frac{5}{9}\right)$
Find each quotient or product.		
<b>13.</b> -5(19)	<b>14.</b> -56 ÷ (-7)	<b>15.</b> 96 ÷ (−0.8)
<b>16.</b> (-7.8)(5.6)	<b>17.</b> $-\frac{1}{8} \div -5$	<b>18.</b> $-\frac{15}{32} \div \frac{3}{4}$
Simplify each expression.		
<b>19.</b> 5(-3 <i>x</i> ) - 12 <i>x</i>	<b>20.</b> $7(6h - h)$	<b>21.</b> $-4m(-7n) + (3d)(-4c)$
<b>22.</b> $\frac{36k}{4}$	<b>23.</b> $\frac{9a+27}{-3}$	<b>24.</b> $\frac{70x-30y}{-5}$
Find each square root. If necessar	y, round to the nearest hundredth.	
<b>25.</b> $-\sqrt{64}$	<b>26.</b> $\sqrt{3.61}$	<b>27.</b> $\pm \sqrt{\frac{16}{81}}$
Replace each • with $<$ , >, or = to	make each sentence true.	
$\mathbf{a}$ $1$ $\mathbf{a}$ $1$	1 = 8	$\frac{1}{\sqrt{2\pi}} = \sqrt{3}$

# **28.** $\frac{1}{\sqrt{3}} \bullet \frac{1}{3}$ **29.** $\sqrt{\frac{1}{2}} \bullet \frac{8}{11}$ **30.** $\sqrt{0.56} \bullet \frac{\sqrt{3}}{2}$

**STATISTICS** For Exercises 31 and 32, use the following information. The height, in inches, of the students in a health class are 65, 63, 68, 66, 72, 61, 62, 63, 59, 58, 61, 74, 65, 63, 71, 60, 62, 63, 71, 70, 59, 66, 61, 62, 68, 69, 64, 63, 70, 61, 68, and 67.

**31.** Make a line plot of the data.

- 32. Which measure of central tendency best describes the data? Explain.
- **33. STANDARDIZED TEST PRACTICE** During a 20-song sequence on a radio station, 8 soft-rock, 7 hard-rock, and 5 rap songs are played at random. Assume that all of the songs are the same length. What is the probability that when you turn on the radio, a hard-rock song will be playing?



**Standardized Test Practice** 

## Part 1 Multiple Choice


chapte

Record your answers on the answer sheet provided by your teacher or on a sheet of paper.


**1.** Darryl works 9 days at the State Fair and earns \$518.40. If he works 8 hours each day, what is his hourly pay? (Prerequisite Skill)

<b>A</b> \$6.48	<b>B</b> \$7.20
<b>©</b> \$30.50	<b>D</b> \$57.60

**2.** The graph below shows how many toy trains are assembled at a factory at the end of 10-minute intervals. What is the best prediction for the number of products assembled per hour? (Prerequisite Skill)



**3.** Which graph shows the integers greater than -2 and less than or equal to 3? (Lesson 2-1)



Test-Taking Tip 🕼 💿 💿 💿

Question 1

If you don't know how to solve a problem, eliminate the answer choices you know are incorrect and then guess from the remaining choices. Even eliminating only one answer choice greatly increases your chance of guessing the correct answer. **4.** Which number is the greatest? (Lesson 2-1)

A	-4	B	4
C	7	D	-9

**5.** What is -3.8 + 4.7? (Lesson 2-2)

<b>A</b> 0.9	<b>B</b> −0.9
<b>C</b> 8.5	D -8.5

**6.** Simplify 3(-2m) - 7m. (Lesson 2-3)

$\bigcirc$ -12m	<b>B</b> − <i>m</i>
<b>○</b> −2 <i>m</i>	<b>D</b> -13 <i>m</i>

**7.** Which statement about the stem-and-leaf plot is *not* true? (Lesson 2-5)

Stem	Leaf
3	1 1 5 6 8 8 2 2 2 4 0 0
4	2224
5	0 0
6	$\begin{vmatrix} 0 & 3 & 7 & 8 & 9 & 9 \\ 4 & 7 & 4 & = 74 \end{vmatrix}$
7	<b>4</b> 7 <b>4 4 4 4 4 4 4 4 4 4</b>


- A The greatest value is 74.
- **B** The mode is 42.
- C Seven of the values are greater than 50.
- **D** The least value is 38.
- **8.** There are 4 boxes. If you choose a box at random, what are the odds that you will choose the one box with a prize? (Lesson 2-6)

<b>A</b> 1:3	<b>B</b> 1:4

(C) 3:1 (D) 3:4

CONTENTS

**9.** Which point on the number line is closest to  $\sqrt{10}$ ? (Lesson 2-7)



### Part 2 Short Response/Grid In


Record your answers on the answer sheet provided by your teacher or on a sheet of paper.

**10.** Ethan needs to wrap a label around a jar of homemade jelly so that there is no overlap. Find the length of the label. (Prerequisite Skill)



- **11.** Evaluate  $\frac{5-1}{4+12 \div 3 \times 2}$ . (Lesson 1-2)
- **12.** Find the solution of 4m 3 = 9 if the replacement set is  $\{0, 2, 3, 5\}$ . (Lesson 1-3)
- **13.** Write an algebraic expression for 2*p* plus three times the difference of *m* and *n*. (Lesson 1-6)
- **14.** State the hypothesis in the statement *If* 3x + 3 > 24, *then* x > 7. (Lesson 1-7)
- **15.** A survey of 1756 students at Prospect High School was taken, and the results are shown in the circle graph. About how many students drink water with dinner? (Lesson 1-8)

#### What Do You Drink With Dinner?



**16.** Augustus was the first emperor of Rome. He was born in the year 62 B.C. and died in 14 A.D. How old was Augustus when he died? (Lesson 2-2)

www.algebra1.com/standardized\_test

CONTENTS

- 17. The population of Ohio in 1990 was 10,847,115. It rose to 11,353,140 in 2000. What was the average change in population for each of the 10 years? (Lesson 2-4) Source: U.S. Census Bureau
- **18.** Two dice are rolled, and their difference is recorded. Find the probability of rolling a difference of less than 2. (Lesson 2-6)
- **19.** Find  $\sqrt{\frac{25}{125}}$  to the nearest hundredth. (Lesson 2-7)

### Part 3 Extended Response

## Record your answers on a sheet of paper. Show your work.

**20.** Mia has created the chart below to compare the three cellular phone plans she is considering. (Lessons 2-2 and 2-3)

Plan	Monthly Fee	Cost/Minute
А	\$5.95	\$0.30
В	\$12.95	\$0.10
С	\$19.99	\$0.08

- **a.** Write an algebraic expression that Mia can use to figure the monthly cost of each plan. Use *C* for the total monthly cost, *m* for the cost per minute, *x* for the monthly fee, and *y* for the minutes used per month.
- **b.** If Mia uses 150 minutes of calls each month, which plan will be least expensive? Explain.
- **21.** The stem-and-leaf plot lists the annual profit for seven small businesses. (Lesson 2-5)

Stem	Leaf	
3	29	
4	1135	
5	0	

- **a.** Explain how the absence of a key could lead to misinterpreting the data.
- **b.** How do the keys below affect how the data should be interpreted?

 $3 | 2 = 3.2 \quad \overline{3} | 2 = 0.32$